



Plumbing & Drainage



RAINWATER

GLOSS & CAST IRON STYLE
PVC GUTTER SYSTEMS





QUALITY RAINWATER SYSTEMS

Brett Martin's continued investment in product research, development and customer service has resulted in the achievement of a Rainwater range which satisfies every variety of roof drainage, ranging from the smallest domestic property to much larger agricultural and commercial buildings providing the merchant, installer and the end user with satisfaction, peace of mind and a full guarantee.



Plumbing & Drainage

QUALITY YOU CAN TRUST

Each Rainwater system has been designed to facilitate fast, efficient, economical installation combined with exceptional reliability. All the domestic systems feature fixing arrangements for easy and straight screwdriver access, incorporating the popular Brett Martin clip fixing system, creating a neat and secure installation every time.

The Rainwater range is available in a modern gloss or the heritage inspired cast iron finish of the Cascade range. No matter which Rainwater system is selected, you are assured of an excellent high performance product offering unbeatable durability and low maintenance whilst ensuring ease of installation and will stay looking good and working well for years to come.

The Rainwater range benefits from the Porcupipe Gutter Protection System. The Porcupipe brush sits within the gutter and is a simple, but extremely effective way of keeping virtually any domestic gutter system clear and free from all kinds of debris including moss and leaves. For an enhanced visual impact of the pipe work, all downpipe fittings feature socketed connections, hiding all end cuts, speeding installation and maintaining the excellent appearance of the system.

Brett Martin's Rainwater systems have been fully tested for accelerated ageing in accordance with BS EN 607:2004 and loading capabilities have been tested to BS EN 1462:2004. The high standard of Brett Martin Rainwater systems is also recognised through the company's achievement of BS EN ISO 9001:2008. You can be confident that, as a BSI Registered Firm, our Quality Assurance programme guarantees that Brett Martin's Rainwater is a first class product.

Following on from our investment in Research, Development, Quality Assurance and our focus on Customer Satisfaction, Brett Martin's Rainwater systems are covered by our extended Warranty and Guarantee package. This Guarantee covers a period of 10 years from date of purchase and covers unusual warping, splitting and discolouration providing the system has been installed following manufacturer's instructions and excludes any coating, paint or other surface treatment applied to the system (with the exception of the Cascade Cast Iron Style range where a specific Brett Martin formulated coating has been applied to components), damage caused by external agents, fair wear and tear from normal ageing and does not apply to consequential losses but to replacement of defective materials. Full warranty details are available on request from Brett Martin Ltd.

Rainwater is just part of Brett Martin's complete Plumbing and Drainage portfolio. The Rainwater range is complemented by the Brett Martin Drainage, Sewer, Surface Water, Soil and Waste systems to provide a complete sustainable solution for all your water cycle requirements.

Full technical and installation instructions are detailed on the company's web site at www.brettmartin.com. The company's sales and technical departments are always available to answer any queries and offer a complete design service.

10
TEN YEAR
WARRANTY

PROSTYLE



ROUNDSTYLE



SQUARESTYLE



DEEPSTYLE



DEEPSTYLE 170



CONTENTS

| | |
|---|---------|
| Prostyle 106mm Profiled Domestic System | Page 3 |
| Roundstyle 112mm Classic Domestic System | Page 5 |
| Squarestyle 114mm Modern Domestic System | Page 7 |
| Deepstyle 115mm High Capacity Domestic System | Page 9 |
| Cascade Rainwater & Soil Systems | Page 11 |
| Deepstyle 170 170mm Industrial Rainwater System | Page 13 |





PROSTYLE 106mm

PROFILED GLOSS DOMESTIC SYSTEM

Straight forward installation and excellent aesthetics are provided by this visually compact yet highly efficient profiled gutter system in a gloss finish. Only 106mm across, the gutter is small enough to be ideally suited to conservatories or bungalows, whilst having sufficient capacity to handle larger houses due to its unique design.

FEATURES INCLUDE:

- High profile front conceals roof edge and helps prevent overspill
- Moulded seals provide high level of fitting integrity
- Outlets, unions and angles feature external fixing lugs for easy access during installation which saves time
- None of the fittings have open fixing holes in the wet part of the system
- Integral flexible clips on fittings ease installation
- Modern gloss finish
- Manufactured to the relevant standard



Colour Options

- Arctic White
- White
- Black
- Brown
- Anthracite Grey

* Available in Cascade Cast Iron Style finish.



Plumbing & Drainage




Moulded seals and fixing lugs are on all relevant fittings.

Connects to 68mm Roundstyle and 65mm Squarestyle downpipe. The gutter and downpipe systems are available in White, Arctic White, Black, Brown and Anthracite Grey colours and in a Cast Iron Style finish.

Like all Brett Martin rainwater products the use of UV stabilised plastic is standard so that systems retain their high quality appearance thus giving excellent durability.

106mm PROSTYLE RAINWATER SYSTEM

| | GUTTER FLOW CAPACITY LITRES PER SECOND | | MAXIMUM ROOF AREA m ² | |
|-------------------|---|-------|-------------------------------------|-------|
| | Level | 1:600 | Level | 1:600 |
| Outlet at one end | 2.05 | 2.55 | 97 | 121 |
| Outlet at centre | 4.1 | 5.1 | 195 | 242 |





ROUNDSTYLE | 112mm

CLASSIC GLOSS DOMESTIC SYSTEM

The 112mm Roundstyle Rainwater System in a gloss finish has been specially designed to facilitate fast, efficient and simple installation whilst retaining a traditional rainwater system design. Ideal for a wide range of single and multi-storey dwellings. The choice of colours available allows this rainwater system to blend discretely into a building, regardless of the finish, or stand out as a feature if desired. Brett Martin's Roundstyle Rainwater System meets all the requirements of the busy installer.

FEATURES INCLUDE:

- Integral flexible clips on all fittings, for easy fixing
- Power tool friendly
- Outlets and unions feature external fixing lugs for easy access
- Sealed fixing points on outlets and unions for simple rafter bracket installation
- Sealed internal fixing points on 90° angles prevent the necessity of handed versions
- No fittings have open fixing holes in the wet part of the system
- Six colour options available in a modern gloss finish
- Manufactured to the relevant standard



Colour Options

- Arctic White White Black Brown Grey
 Anthracite Grey

* Available in Cascade Cast Iron Style finish.



Plumbing & Drainage




The 112mm Roundstyle system features distinctive integral flexible clips that allow quick and easy snap together assembly on to the gutter length.

External fixing lugs allow the use of cordless power tools, for fast and efficient installation. All fixings may now be kept out of the 'wet' areas of the system, greatly reducing the risk of problems after installation.

The system has been designed to facilitate the conversion of the running outlet into a stopend outlet. Simply trim off the exposed fixing lug and insert an internal stopend, thus preventing the need for handed stopend outlet components.

112mm ROUNDSTYLE RAINWATER SYSTEM

| | GUTTER FLOW CAPACITY LITRES PER SECOND | | MAXIMUM ROOF AREA m ² | |
|-------------------|---|-------|-------------------------------------|-------|
| | Level | 1:600 | Level | 1:600 |
| Outlet at one end | 1.00 | 1.3 | 48 | 62 |
| Outlet at centre | 1.82 | 2.43 | 87 | 116 |





SQUARESTYLE | 114mm

MODERN GLOSS DOMESTIC SYSTEM

The shape of the 114mm Squarestyle Rainwater System combined with its gloss finish provides a very clean and simple look, ideal in structures with contemporary styling. The clean lines of the gutter and downpipe systems give a flow capacity up to 20% higher than half round systems which means not only does Squarestyle look good it performs well. Squarestyle has been a hugely popular system for many years and is suitable for refurbishments and extensions as well as new build projects.

FEATURES INCLUDE:

- Modern appearance
- External fixing lugs on fittings for easy installation
- Up to 20% higher flow capacity than half round systems
- Excellent drainage for larger domestic roofs
- Four colour options available in a modern gloss finish
- Manufactured to the relevant standard



Colour Options

- Arctic White White Black Brown



Plumbing & Drainage




Squarestyle like Roundstyle, Deepstyle and Prostyle features integral fixing clips that allow quick and easy snap together assembly on the gutter length.

Careful design ensures these are robust enough to provide years of trouble free service yet are flexible enough to allow simple installation.

The outlets and unions feature external fixing lugs, making them power tool friendly for simple installation.

114mm SQUARESTYLE RAINWATER SYSTEM

| | GUTTER FLOW CAPACITY LITRES PER SECOND | | MAXIMUM ROOF AREA m ² | |
|-------------------|---|-------|-------------------------------------|-------|
| | Level | 1:600 | Level | 1:600 |
| Outlet at one end | 1.20 | 1.52 | 57 | 72 |
| Outlet at centre | 2.20 | 3.03 | 106 | 144 |





DEEPSTYLE | 115mm

HIGH CAPACITY GLOSS DOMESTIC SYSTEM

Deepstyle is a semi elliptical system, specifically produced to offer effective trouble free rainwater drainage on larger roof areas where it can provide significant cost savings. Opportunities to reduce downpipes due to higher capacity can provide substantial cost reductions and appearance improvements. The system is characterised by an easy fix clip system, which facilitates simple installation whilst external fixing lugs allow easy access for cordless power tools. Deepstyle is fully compatible with other leading deep flow systems.

FEATURES INCLUDE:

- Potential to reduce downpipe runs
- Compatible with other semi elliptical systems
- Easy fix clip system
- Efficient high capacity
- Minimum number of components are required
- Cost saving potential
- External fixing lugs on fittings are power tool friendly
- Six colour options in a gloss finish
- External fixing lugs on fittings for easy installation
- Manufactured to the relevant standard



Colour Options

- Arctic White
- White
- Black
- Brown
- Grey
- Anthracite Grey

* Available in Cascade Cast Iron Style finish.



Plumbing & Drainage







Deepstyle's high capacity nature provides a very efficient system for the drainage of large roof areas, whilst still providing a discrete unobtrusive rainwater system. In fact Deepstyle offers an increase of 50% in flow capacity when compared to the 112mm Roundstyle system.

The high capacity nature of Deepstyle has the potential to reduce the number of downpipe and drainage runs required. This speeds installation and can reduce overall costs dramatically.

115mm DEEPSTYLE RAINWATER SYSTEM

| | GUTTER FLOW CAPACITY LITRES PER SECOND | | MAXIMUM ROOF AREA m ² | |
|-------------------|---|-------|-------------------------------------|-------|
| | Level | 1:600 | Level | 1:600 |
| Outlet at one end | 1.88 | 2.30 | 90 | 110 |
| Outlet at centre | 3.75 | 4.58 | 180 | 220 |





CAST IRON STYLE

170mm INDUSTRIAL GLOSS RAINWATER SYSTEM

Cast Iron has shaped the architectural landscape of our towns and cities since the industrial revolution. Inspired by this heritage, Brett Martin have applied over 50 years' experience at the forefront of plastics technology to develop Cascade, a range of gutter and downpipe profiles which provide authentic cast iron styling in plastic.

A unique patented manufacturing process combines with original cast iron detailing on pipework, fittings and hoppers to give the full appearance of cast iron with all the benefits of modern plastic products. This allows the architect to achieve their vision without compromising the requirements of today's fast paced construction contracts on time, money or safety.

FEATURES INCLUDE:

- Authentic cast iron architectural detailing
- Extensive choice of styles
- An affordable cast iron alternative
- Quick and easy to install
- Ready to fit
- Lightweight, robust materials
- Fully UV stabilised
- Durable and corrosion resistant
- Compatible with existing rainwater systems
- Complementary 110mm push-fit soil system



Choice of heritage colours including: Classic Black, Oxford Blue, Olive Green, Graphite Grey, Sandstone, Porcelain White and Anthracite Grey.



Plumbing & Drainage

Cascade

CAST IRON STYLE RAINWATER AND SOIL SYSTEM



DOMESTIC SYSTEMS

- 106mm Prostyle Gutter
- 112mm Roundstyle Gutter
- 115mm Deepstyle Gutter
- 65mm Square Downpipe
- 68mm Round Downpipe
- Fittings and Hoppers

HIGH CAPACITY SYSTEM

- 170mm Deepstyle Gutter
- 105mm Round Downpipe
- 100mm x 75mm (4" x 3") Rectangular Downpipe
- Fittings and Hoppers

SOIL SYSTEM

- 110mm Soil Pipe
- Soil Stack Shroud
- Access Fittings and Adaptors


DOMESTIC CAST IRON STYLE SYSTEMS

| | | GUTTER FLOW CAPACITY LITRES PER SECOND | | MAXIMUM ROOF AREA m ² | |
|---------------------|-------------------|---|-------|-------------------------------------|-------|
| | | Level | 1:600 | Level | 1:600 |
| 106mm Prostyle | Outlet at one end | 2.05 | 2.55 | 97 | 121 |
| | Outlet at centre | 4.1 | 5.1 | 195 | 242 |
| 112mm Roundstyle | Outlet at one end | 1.00 | 1.30 | 48 | 62 |
| | Outlet at centre | 1.82 | 2.43 | 87 | 116 |
| 115mm Deepstyle | Outlet at one end | 1.88 | 2.30 | 90 | 110 |
| | Outlet at centre | 3.75 | 4.58 | 180 | 220 |

HIGH CAPACITY CAST IRON STYLE SYSTEM

| | GUTTER FLOW CAPACITY LITRES PER SECOND | | MAXIMUM ROOF AREA m ² | |
|-------------------|---|-------|-------------------------------------|-------|
| | 1:350 | 1:600 | 1:350 | 1:600 |
| Outlet at one end | 5.77 | 5.12 | 275 | 244 |
| Outlet at centre | 11.54 | 10.24 | 550 | 488 |

*Actual test results calculated in site conditions





DEEPSTYLE 170

170mm INDUSTRIAL RAINWATER SYSTEM

Deepstyle 170 is a high performance industrial rainwater system offering increased drainage capacity for larger commercial projects, factories, warehouses, farm buildings and apartments. The design features innovative CLIP & SEAL technology for ease of installation, superior sealing and exceptional reliability.

Strong and durable, Deepstyle 170 is a heavy duty gutter system, manufactured from UV resistant PVC. The system's robustness has been fully tested to BS EN 1462 Load Class H, whilst its unique formulation provides long-term weatherability for the systems high gloss gutter, fittings and downpipes.

FEATURES INCLUDE:

- 170mm high performance industrial rainwater system with a greater drainage capacity, compatible with the 110mm Industrial Downpipe System
- This large scale system enables larger roofs to be drained more efficiently and effectively
- All fittings feature factory fitted CLIP & SEAL technology for ease of installation and completely watertight joints
- The system requires fewer downpipes and drainage connections
- It enables larger roofs to be drained more efficiently and effectively
- High gloss UV protected gutter and downpipes which look better and last longer



Colour Options

- Black
- Grey

* Available in Cascade Cast Iron Style finish



Plumbing & Drainage




The Deepstyle I70 rainwater system features a new and innovative factory fitted CLIP & SEAL to ease the installation process and provide exceptional long-term sealing reliability.

- The unique CLIP & SEAL fully integrates with the fitting so that the specially designed captive seal is held securely within the fitting whilst the clip locks the seal firmly in place.
- For added convenience the CLIP & SEAL is fully factory fitted to all Deeptyle I70 fittings but can also be easily removed if required.
- When fitting the gutter the CLIP & SEAL provides just enough flex to allow the gutter to locate within the fitting, whilst a reassuring click locks the gutter securely into position compressing the seal for superior sealing.

170mm INDUSTRIAL RAINWATER SYSTEM CAPACITY - 170 DEEPSTYLE

| | GUTTER FLOW CAPACITY LITRES PER SECOND | | MAXIMUM ROOF AREA m ² | |
|-------------------|---|-------|-------------------------------------|-------|
| | 1:350 | 1:600 | 1:350 | 1:600 |
| Outlet at one end | 5.77 | 5.12 | 275 | 244 |
| Outlet at centre | 11.54 | 10.24 | 550 | 488 |

**Actual test results calculated in site conditions*





Plumbing & Drainage

Distributed by:

Brett Martin Daylight Systems Ltd
Sandford Close,
Aldermans Green Industrial Estate,
Coventry, West Midlands CV2 2QU
Tel: +44 (0) 24 7660 2022
Fax: +44 (0) 24 7660 2745
Email: daylight@brettmartin.com

For the latest company information
visit the company's website:
www.brettmartin.com

