

APRIL 2018 | PGAP13

Product Price Guide



ariel®

the proof's on the roof



Roof Ventilation
Roof Drainage
Roofing Sheets
Rooflights
Flat Glazing
Cladding
Accessories

This price list supersedes all previous issues. All goods sold are subject to our standard Terms and Conditions of Sale (available on request from the Sales Office). Ariel Plastics Ltd reserves the right to amend specifications without prior notice.

Reproduction of all or any part of this publication, unless authorised in writing by Ariel Plastics Ltd, will be a breach of copyright.

Carrier Deliveries

Customers requiring a chargeable Next Day carrier service must submit their orders before 12:00 midday. Please note that carriers will not take goods longer than 4m and wider than 1m. Although we expect the carrier to deliver on a next day service, carriers are increasingly unable to guarantee this on all occasions. Basic carrier cost is £30.00, please contact sales office for full details.

Terms & Conditions

Please provide full delivery address with postcode, contact name and phone numbers and details of any site restrictions which may affect delivery.

Ordering

When ordering please clearly state Product Code, Description and Quantity. 48 hour Mardome deliveries must be placed by 2pm. All other orders must be received by 4.00pm.

Prices

Irrespective of any prices stated on your orders, the prices charged by Ariel Plastics will be list prices less your agreed customer discount. List Prices exclude VAT.

Non Price List Products

Any goods not stated on the price list will be subject to extended lead times and a minimum order value of £225.00 net. These products are all non-returnable.

Cut To Size

Cut to size is a bespoke product and therefore non-returnable.

Cutting Charge

We reserve the right to apply a cutting charge for complicated or large cutting requests. Please contact the customer services department for details.

Quotations

Quotations will normally be processed within 24 hours. Earlier processing may be available on request. Complicated and structural quotations can take up to 48 hours to be fully processed.

Cancelled Orders

We reserve the right to charge up to £25.00 for any orders cancelled after the order cut off time to cover administration and/or delivery costs. Cancelled orders must be notified in writing before cut off time. Cut off time is 4.00pm.

Minimum Order Charges

Orders under £225.00 net will be subject to a £25.00 delivery charge.

Site Deliveries

Site deliveries are subject to a minimum order value of £225.00 and a one off charge of £25.00 (mainland GB only).

48hr Mardome Orders

Orders must be received by Ariel Plastics by 2pm. 48hr delivery is only available to mainland GB (excluding postcode areas beginning KW, IV, AB and PH). All Mardome returns must be in a re-saleable condition and will be subject to a 50% restocking charge.

Fixing Guides

Available to download from www.arielplastics.com

Collection

Goods may only be collected by prior arrangement.

Notification of Claims

The seller shall be entitled to reject any claim for DEFECTIVE goods unless such a claim is notified in writing to the Seller within 48 hours of delivery, or, if the alleged defect is not immediately apparent, within such longer period as the seller may reasonably allow in the circumstances. Mardome roof domes are bespoke items and will incur a 50% restocking charge if cancelled or returned. Returns must be in a re-saleable condition.

The Seller shall be entitled to reject any claim for SHORTAGES of the goods unless such claim is notified to the Seller in writing within 48 hours of the date of delivery of any consignment in which it is said a shortage has occurred. Upon collection of goods, the Seller shall be entitled to credit goods only which are deemed resaleable.

The Seller will notify the Buyer within 48 hours of any rejections or discrepancies. It is recommended that orders are checked for completeness and defective parts before installation work commences. Failure to do so may affect the claim.



☎ 01246 281111
 ✉ info@arielplastics.com
 🏠 **arielplastics.com**

Contents

ROOF VENTILATION & DRAINAGE	Roof Ventilation	04
	Universal Ridge System	08
	Dry Hip Systems	09
	Roof Drainage	10
	Flashing	13
	Roofing Membranes	14
ROOFLINE	Roofline	16
ROOFING SHEET	Multiwall Polycarbonate Sheet	20
	Self Supporting Roofing System	34
	Multiwall Polycarbonate Cut to Size	36
	Corrugated Polycarbonate	40
	PVC Sheet	42
	Corrugated Bitumen	46
	Metal Roofing System	49
	Corrugated Galvanised Sheet	50
	Bituminous Tile Strip	52
GRP Sheet	54	
Flat Glazing	56	
ROOFLIGHTS	Polycarbonate Dome Rooflights	60
	Flat Glass Rooflights	70
CLADDING & PROTECTIVE SHEET	PVC Cladding	72
	Covershield	74

Corovent

Roof Ventilation

SLATE, TILE AND RIDGE VENTILATION

An extensive range of **Corovent** Slate, Tile and Ridge ventilation products have been specially designed to eliminate the risk of condensation.


A comprehensive range of tile vents are available to match most roof tiles, with specials available on short lead times. Our tile matching service ensures that Corovent will always blend in discreetly with existing tiles, even on a weathered roof.

*Not suitable for roofs less than 20° pitch

EAVES VENTILATION

The wide range of eaves ventilation products and accessories can eliminate condensation by providing adequate airflow in the roof void, and avoids damage to the eaves and roof-felt finishing.

- Maintenance free
- Corrosion and rot resistant
- Strong and flexible



Our tile matching service ensures the Corovent will blend in with existing roof tiles.

Roof Vents PG72/76/77

	Code	PG	Disc	Cowl Vents	Qty	Price £
	CV10K	072	780	Cowl Vent - ventilation area 10,000mm ² including felt sleeve	1	39.18
	CV20K	072	780	Cowl Vent - ventilation area 20,000mm ² including felt sleeve	1	41.61
	CPI10K	072	780	As CV10K but including a 110mm Pipe Adaptor	1	44.14
	CP20K	072	780	As CV20K but including a 110mm Pipe Adaptor	1	58.26
	CT1C	076	780	110mm dia flexi-tube including clips	1	27.10
	CT1E	076	780	110mm PVC Coated flexi-tube including clips (1m length)	1	8.94
	CT3E	076	780	110mm PVC Coated flexi-tube including clips (3m length)	1	23.76
	FW1	072	780	Felt weir	1	2.05
	Code	PG	Disc	Roofline Vents (when ordering state whether slate or tile version)	Qty	Price £
	DV10K	072	780	Discrete Roof Vent 10,000mm ²	1	81.52
	DP10K	072	780	Discrete Roof Vent & pipe adaptor	1	93.46
	RV10K	072	780	Roofline vent for slate or interlocking tiles 10,000mm ² vent area (includes felt weir)	1	81.52
	RP10K	072	780	As RV10K but fitted with a 110mm dia pipe adaptor	1	93.46
	COA1	072	780	110mm dia. outlet can be cut to provide 125mm dia sections	1	13.84
	RV8K	072	780	Roofline vents for plain tiles 8000mm ² ventilation area	1	36.81
	RP8K	072	780	As RV8K but including a 110mm dia pipe adaptor	1	43.51
	NSA110	072	780	110mm dia adaptor to site convert RV8K to RP8K	1	8.75
	UNI/SLATE	077	780	Slate Universal Vent 8000mm ² ventilation area	1	39.21
	Code	PG	Disc	Economy Vents	Qty	Price £
	HV1	076	780	7200mm ² vent area: 600x300mm slates	10	15.88
	HV2	076	780	7200mm ² vent area: 500x250mm slates	10	15.88
	HP1*	077	780	Vent terminal for 600x300mm slates	1	42.85
	Code	PG	Disc	Ridgeline Vents	Qty	Price £
	TV3N	072	780	Ridge vent 12,500mm ² vent area, suits most concrete & clay ridges	1	81.52
	TV31N	072	780	As TV3N with fitted extension sleeve	1	90.26
	TV3SN-110	072	780	As TV3N with fitted extension sleeve incl. 110mm dia pipe adaptor	1	94.72
	TV3SN-125	072	780	As TV3N with fitted extension sleeve incl. 125mm dia pipe adaptor	1	94.72
	NES	072	780	Narrow extension sleeve for short ridge vent less than 400mm long	1	8.75
	WES	072	780	Wide extension sleeve for standard ridge vent more than 400mm long	1	8.75
	WSA110	072	780	110mm dia adaptor for wide extension sleeve	1	8.75
WSA125	072	780	125mm dia adaptor for wide extension sleeve for passive vent system	1	8.75	

When ordering tile vents please state manufacturer, tile and colour for matching purposes.
*Includes soil pipe adaptor & flexi-tube.





Eaves Ventilation

	Code	PG	Disc	Product Description	Qty	Price £
	CF1	077	780	1m Eaves Comb Filler	300	0.54
	FT60	077	780	Eaves Fascia Tray 600mm long	50	1.75
	FT150	077	780	Eaves Fascia Tray 1500mm long	10	3.18
	RT50	077	780	6M Roll 300mm Wide Rafter Tray	10	8.51
	RT66	077	780	Rafter Tray Continuous 6m long roll 400mm wide, provides 25mm per LM air gap to fit common rafter spacings 600, 450, 400mm	4	11.35
	10RT66	077	780	Rafter Tray Continuous 6m long roll 400mm wide, provides 25mm per LM air gap to fit common rafter spacings 600, 450, 400mm	10	11.35
	RT99	077	780	6M Roll 600mm Wide Rafter Tray	20	17.01
	RT132	077	780	6m Rafter Tray as above but 800mm wide, for low pitched roofs	4	22.68
	8RT132	077	780	6m Rafter Tray as above but 800mm wide, for low pitched roofs	8	22.68




Eaves & Fascia Ventilation

	Code	PG	Disc	Eaves Ventilation	Qty	Price £
	RT60	077	780	600mm Single Rafter Tray - provides 10mm per LM air gap	50	1.12
	RT41	077	780	400mm Single Rafter Tray - for warm roofs or roofs below 15° pitch - provides 25mm per LM air gap	50	1.25
	RF60	077	780	600mm Single Flyscreen Rafter Trays - provides 10mm per LM air gap	50	2.27
	RF40	077	780	400mm Single Flyscreen Rafter Trays - provides 10mm per LM air gap	50	1.95
	RR46	077	780	Refurbishment Rafter Tray (48cm Long x 35cm Wide)	50	2.12
	Code	PG	Disc	Overfascia Vents	Qty	Price £
	OV10	077	780	Low profile - 1m x 10mm air gap	50	1.34
	FV10	077	780	Heavy duty - 1m x 10mm air gap	50	3.02
	FV25	077	780	Heavy duty - 1m x 25mm air gap	50	3.70

Eaves Ventilation Kits

	Code	PG	Disc	Eaves Ventilation Kits	Qty	Price £
	HK1	077	780	Complete 6m eaves ventilation to provide 10mm per LM air gap comprising of 1 continuous rafter tray 400mm wide, 6 over fascia vents and 10 eaves fascia trays	1	51.59
	HK21	077	780	Extra wide 6m eaves ventilation to provide 10mm per LM air gap comprising of 1 continuous rafter tray 800mm wide, 6 over fascia vents and 10 eaves fascia trays	1	56.46
	HK2	077	780	Complete 6m eaves ventilation to provide 25mm per LM air gap comprising of 1 continuous rafter tray 400mm wide, 6 over fascia vents and 10 eaves fascia trays	1	79.82
	HK22	077	780	Extra wide 6m eaves ventilation to provide 25mm per LM air gap comprising of 1 continuous rafter tray 800mm wide, 6 over fascia vents and 10 eaves fascia trays	1	90.74

Soffit Vents

	Code	PG	Disc	Soffit Vents	Qty	Price £
	SD20W	077	780	Disc vent 2000mm ² ventilation area - white (80mm dia.)	50	0.53
	SD20B	077	780	Disc vent 2000mm ² ventilation area - black (80mm dia.)	50	0.53
	SD20BR	077	780	Disc vent 2000mm ² ventilation area - brown (80mm dia.)	50	0.53
	SV10W	077	780	10mm continuous air gap - each 2.44m long - white	10	5.18
	SV10B	077	780	10mm continuous air gap - each 2.44m long - black	10	5.18
	SV10BR	077	780	10mm continuous air gap - each 2.44m long - brown	10	5.18
	SV25W	077	780	Continuous strip 25mm per LM air gap 2.44m long - white	10	9.43
	SV25BR	077	780	Continuous strip 25mm per LM air gap 2.44m long - brown	10	9.43


Corovent URS

Universal Ridge System



Corovent Universal Ridge is designed to provide a totally dry fixed and weathertight ridge that is fast and simple to install. Every ridge unit is mechanically fixed eliminating the need for mortar completely.

- Unique jointing system for versatility
- Accommodates most known ridge tiles
- Can be used with both half round & angled ridges
- Dry fix is the fastest way to install ridge tiles
- No wet trades needed
- Smooth line providing a discreet appearance



The Corovent dry fix system is supplied as a complete system with all components to fix 6m of ridge.

Universal Dry Fix Ridge System (vented)

Code	PG	Disc	Product Description	Outer Qty	Price £
URS6/B	071	780	6m Dry Fix Ridge System (6m Rollout Tray, 13 x Unions, 13 x Ridge Brackets, Fixing Kit, Metal Clamps)	1	79.50
URS6/RT	071	780	Dry Fix Roll Out Tray 6m x 300mm	1	40.99
URS6/USB	071	780	Dry Fix Union including Fixings (pack of 13)	1	2.89

Designed for standard ridge tiles at 450mm width.

Corovent DHS

Dry Hip System



Corovent DHS provides a mechanically fixed, weathertight and attractive finish to the hip line without the use of mortar bedding. The Corovent DHS is fully compatible with Corovent URS Dry Ridge System.

- Quick & easy to install
- No special tools required
- Mortar free
- UV stable
- Water resistant

Component List

- 1 x Hip Roll (6m length)
- 6 x Hip Support Tray (1.1m length)
- 13 Dry Fix Union Including Fixings
- 30 x Tile Ties
- 16 x 75mm x 4.8mm s/s screws
- 3 x Sealing Washers
- 40 x 25mm x 3.5mm s/s ARS nails



The Corovent dry fix system is supplied as a complete system with all components to fix 6m of hip.

Dry Hip System


Code	PG	Disc	Product Description	Colour	Price £
UHS6/B	071	780	6m dry hip fixing system	Black	137.58

Support Tray

Code	PG	Disc	Product Description	Width mm	Length mm	Price £
UHS6/HST	071	790	PVC Hip Support Tray 1m	236	1000	8.89
HST16	071	790	PVC Hips Support Tray 1m (Pack of 6)	236	1000	25.45
HST3	071	790	GRP Hips Support Tray 3m	236	3000	19.22

Corodrain

Roof Drainage



The **Corodrain** range of BBA approved valley troughs are manufactured in GRP as an economic and durable alternative to using lead and all conform to NFRC Technical Bulletin 28.

Corodrain valley troughs can be used on both slate and tiled roofs and with any combination of double or interlocking slates, clay or concrete tiles. Corodrain can also provide a weatherproof seal between roofs of terraced houses or where a new roof needs to join an existing roof.


- A cost effective alternative to lead
- More resistant to damage and theft
- Maintenance free
- UV light and acid rain resistant
- Smooth finish inhibits growth of moss or build up of debris
- Significant reduction in installation time
- ISO 9001 & BBA Approved
- Largest range of lengths available




D-Valleys	A-Valleys	B-Valleys	Unequal Pitches	Dry Valleys
Standard Corodrain valley troughs for use with single and double lap tiles. Both standard (type:HD) and heavy duty (type:DX). They incorporate sanded strips (min. width 35mm) for the mortar to bond to.	Narrow Corodrain valley troughs for use with single and double lap tiles in limited applications. Both standard (type:HA) and heavy duty (type:AX). They incorporate sanded strips (min. width 35mm) for the mortar to bond to.	Standard Corodrain valley troughs for use with double lap slates and tiles, which are dry bedded. Both standard (type:HB) and heavy duty.	B & D-Valleys are designed for use where the differential between two rafter pitches is 15° or less. Industry standards recommend A-Valleys should only be used for pitch differences of 10° or less.	Dry fix valley trough completely eliminates risk of water coming into contact with the batten. No wet trades are required so it can be fitted in any weather. No clips needed, reducing time and hassle on site.

Corodrain Standard Range

	Code	PG	Disc	Valley Trough (BBA Approved)	Outer Qty	Price £
 A Type	Standard Weight - 360mm width (1.83kg/m²)					
	HA30	078	790	A type 3m long universal	10	23.38
	HA24	078	790	A type 2.4m long universal	10	18.69
 B Type	HA18	078	790	A type 1.8m long universal	10	14.27
	HB30	078	790	B type 3m long slate	10	23.38
	HB24	078	790	B type 2.4m long slate	10	18.69
 E Type	HB18	078	790	B type 1.8m long slate	10	14.27
	HE30	078	790	E type 3m std valley trough (1.66kg/m ²)	10	21.04
	HE24	078	790	E type 2.4m std valley trough (1.66kg/m ²)	10	16.84
 D Type	HE18	078	790	E type 1.8m std valley trough (1.66kg/m ²)	10	12.85
	Standard Weight - 410mm width (1.83kg/m²)					
	HD30	078	790	D type 3m long universal	10	27.11
 BD30	HD24	078	790	D type 2.4m long universal	10	21.65
	HD18	078	790	D type 1.8m long universal	10	16.28
	Heavy Weight - 360mm width (2.44kg/m²)					
 DX30	AX30	078	790	A type 3m universal heavy weight	10	42.08
	AX24	078	790	A type 2.4m universal heavy weight	10	33.66
 DD30	Heavy Weight - 410mm width (2.44kg/m²)					
	DX30	078	790	D type 3m universal heavy weight	10	47.19
	DX24	078	790	D type 2.4m universal heavy weight	10	37.75
Diamond 60 - (2.44kg/m²)						
	BD30	078	790	B type 3m diamond 60 slate	10	52.34
	DD30	078	790	D type 3m diamond 60 universal	10	55.18

	Code	PG	Disc	Joining Gutter	Outer Qty	Price £
	HC30	078	790	3m long joining gutter	10	23.38
	HC24	078	790	2.4m long joining gutter	10	18.69
	HC18	078	790	1.8m long joining gutter	10	14.27

	Code	PG	Disc	Abutment Soaker	Outer Qty	Price £
	AS30	078	790	3m long abutment soaker	10	42.80
	AS30L	078	790	3m long abutment soaker lipped	10	46.65


	Code	PG	Disc	Slate Starter Strip	Outer Qty	Price £
	US30	077	790	3m long universal slate starter strip	10	37.04



105mm upstand




80mm upstand



55mm upstand

Traditional Dry Fix Valley

Code	PG	Disc	Product Description	Width mm	Length mm	Price £
DVU30DW105	071	790	Traditional Dry Fix Valley - 105mm Upstand	370	3000	49.68
DVU30DW80	071	790	Traditional Dry Fix Valley - 80mm Upstand	370	3000	49.68
DVU30DW55	071	790	Traditional Dry Fix Valley - 55mm Upstand	370	3000	49.68



110mm upstand



90mm upstand



70mm upstand

Universal Dry Fix Valley

Code	PG	Disc	Product Description	Width mm	Length mm	Price £
DVU30HW110	071	790	Dry Fix Valley Heavyweight - 110mm Upstand	280	3000	65.88
DVU30SW110	071	790	Dry Fix Valley Standard - 110mm Upstand	280	3000	42.12
DVU30HW90	071	790	Dry Fix Valley Heavyweight - 90mm Upstand	280	3000	65.88
DVU30SW90	071	790	Dry Fix Valley Standard - 90mm Upstand	280	3000	42.12
DVU30HW70	071	790	Dry Fix Valley Heavyweight - 70mm Upstand	280	3000	65.88
DVU30SW70	071	790	Dry Fix Valley Standard - 70mm Upstand	280	3000	42.12



100mm upstand



70mm upstand

Universal Dry Fix Joining Gutter

Code	PG	Disc	Product Description	Width mm	Length mm	Price £
DBG30HW100	071	790	Dry Joining Gutter Heavyweight 100mm Upstand	280	3000	62.64
DBG30HW70	071	790	Dry Joining Gutter Heavyweight 70mm Upstand	280	3000	62.64

Code	PG	Disc	Product Description	Price £
DVBRACKET	071	790	Dry Valley Support Bracket Galvanised (pack of 5)	15.71
DVCLIP	071	790	Dry Valley Tile Clips (pack of 20)	44.28

Corodrain LRF

Lead Replacement Flashing

Lead free
flashing

Corodrain LRF Lead Replacement Flashing is an economical and safe alternative to lead. Suitable for use in applications where lead has been traditionally installed to provide a watertight seal. It is used in masonry applications where there could be a risk of water ingress at joints typically on the roof but also on porches, walls, doors and windows.

- Economic alternative to lead
- Rollable and self-sealing
- Quick and easy to install
- 100% waterproof



Lead Replacement Flashing

Code	PG	Disc	Product Description	Colour	Width mm	Length mm	Price £
LRF1505G	071	780	150mm Lead Replacement Flashing - Flat	Graphite	150	5000	28.46
LRF3005G	071	780	300mm Lead Replacement Flashing - Flat	Graphite	300	5000	52.50
LRF4005G	071	780	400mm Lead Replacement Flashing - Flat	Graphite	400	5000	69.98
LRP1505G	071	780	150mm Lead Replacement Flashing - Profiled	Graphite	150	5000	35.00
LRP3005G	071	780	300mm Lead Replacement Flashing - Profiled	Graphite	300	5000	65.63
LRP4005G	071	780	400mm Lead Replacement Flashing - Profiled	Graphite	400	5000	87.50

Vapour Permeable Roofing Underlay

harcon
VPU

Harcon VPU is a range of premium quality underlays with superb vapour permeability. The membranes are specifically designed to allow the ready transfer of water vapour to reduce the risk of condensation in the roof void.

- VPU: 92g, 125g, 230g
- Single Taped VPU: 102g & 125g
- Excellent resistance to water penetration
- Superb water vapour transmission properties
- BBA certified
- Exceptional nail and tear strength
- Complies with BS5534:2014 and the Construction Products Directive (89/106/EEC) underlays for discontinuous roofing



**Taped &
Non Taped
VPU**



Permeable Roofing Underlay

Code	PG	Disc	Product Description	Colour	Width mm	Length m	Pallet Qty	Price £
VPU100DL	079	780	Vapour Permeable Underlay 125g	Blue	1000	50	36	121.81
VPU150DL	079	780	Vapour Permeable Underlay 125g	Blue	1500	50	33	182.70
VPU100DL92	079	780	Vapour Permeable Underlay 92g	Black	1000	50	49	84.98
VPU150DL92	079	780	Vapour Permeable Underlay 92g	Black	1500	50	46	127.46
VPU100DL230	079	780	Vapour Permeable Underlay 230g	Grey	1000	50	25	239.48
VPU150DL230	079	780	Vapour Permeable Underlay 230g	Grey	1500	50	25	359.21
VPUTAPE25	079	780	VPU Membrane Tape	-	40	25	-	45.06
VPU100STAPE	079	780	Vapour Permeable Underlay 125g Single Tape	Blue	1000	50	36	128.08
VPU150STAPE	079	780	Vapour Permeable Underlay 125g Single Tape	Blue	1500	50	33	192.10
VPU100STAPE102	079	780	Vapour Permeable Underlay 102g Single Tape	Black	1000	50	36	100.43

Non Permeable Roofing Underlay

harcon
NPU



- BBA certified for both warm & cold roofs
- Entirely watertight
- Excellent nail and tear strength
- Complies with BS5534:2014



Non Permeable Underlay

Code	PG	Disc	Product Description	Width mm	Pallet Qty	Price £
NPU145	079	780	Non Permeable Underlay - 45m Roll	1000	49 rolls	78.67


Corovent DVS

Dry Verge System




Designed to provide a simple, secure method of mechanically fixing verge tiles. Reduces the risk of wind damage and water penetration.

- 100% weatherproof for ultimate protection
- Manufactured from UV stabilised and recyclable polypropylene
- Grey and Brown colour options which blend with the roof
- Compatible with a large range of interlocking concrete tiles between 280mm - 345mm gauge
- Quick and easy to fix, no special tools required
- Allows all weather fixing
- Saves on time and labour
- Provides that added finish when used with PVC fascias and soffits



Dry Verge System New Build

Code	PG	Disc	Product Description	Colour	Outer Qty	Price £
NB-EFVG-LH	071	780	Dry Verge Left Hand	Grey	10	3.51
NB-EFVG-RH	071	780	Dry Verge Right Hand	Grey	10	3.51
NB-EFVB-LH	071	780	Dry Verge Left Hand	Brown	10	3.51
NB-EFVB-RH	071	780	Dry Verge Right Hand	Brown	10	3.51
NB-RCG-A	071	780	Ridge Cap Angled	Grey	1	7.38
NB-RCB-A	071	780	Ridge Cap Angled	Brown	1	7.38
NB-RCG-HR	071	780	Ridge Cap Half Round	Grey	1	7.38
NB-RCB-HR	071	780	Ridge Cap Half Round	Brown	1	7.38
NB-SPG	071	780	Starter Piece	Grey	1	3.36
NB-SPB	071	780	Starter Piece	Brown	1	3.36



Dry Verge System Retro Fit

Code	PG	Disc	Product Description	Colour	Outer Qty	Price £
EFVG-LH	071	780	Dry Verge Left Hand	Grey	10	3.51
EFVG-RH	071	780	Dry Verge Right Hand	Grey	10	3.51
EFVB-LH	071	780	Dry Verge Left Hand	Brown	10	3.51
EFVB-RH	071	780	Dry Verge Right Hand	Brown	10	3.51
RCG-A	071	780	Ridge Cap Angled	Grey	1	7.38
RCB-A	071	780	Ridge Cap Angled	Brown	1	7.38
RCG-HR	071	780	Ridge Cap Half Round	Grey	1	7.38
RCB-HR	071	780	Ridge Cap Half Round	Brown	1	7.38
SPG	071	780	Starter Piece	Grey	1	3.36
SPB	071	780	Starter Piece	Brown	1	3.36

Corovent CDV

Continuous Dry Verge



Manufactured from weatherable uPVC, the **Corovent Continuous Dry Verge** provides a watertight, secure, mortar-free, single piece verge system. It is suitable for concrete, clay, interlocking and plain tiles.

- Single piece product
- Dry fix mortar free solution
- Manufactured from UV stabilised uPVC
- 100% waterproof
- Available in a choice of profiles and colour options

Download Tile Compatibility
from www.arielplastics.com

COLOURS AVAILABLE

- > White
- > Black
- > Anthracite Grey
- > Brown

PROFILES AVAILABLE

- > R Profile
- > S Profile



Corovent CDV offers a maintenance free, clean and attractive finish.

Continuous Dry Verge R Profile

Code	PG	Disc	Product Description	Colour	Width mm	Length mm	Price £
CDVRB5	071	780	Continuous Dry Verge (R Profile)	Black	110	5000	63.00
CDVRBR5	071	780	Continuous Dry Verge (R Profile)	Brown	110	5000	78.49
CDVRG5	071	780	Continuous Dry Verge (R Profile)	Anthracite Grey	110	5000	78.49
CDVRW5	071	780	Continuous Dry Verge (R Profile)	White	110	5000	63.00
CDVRCB	071	780	Straight Connector (R Profile)	Black	40	120	9.03
CDVRCBR	071	780	Straight Connector (R Profile)	Brown	40	120	9.03
CDVRCG	071	780	Straight Connector (R Profile)	Anthracite Grey	40	120	9.03
CDVRCW	071	780	Straight Connector (R Profile)	White	40	120	9.03
CDVRPB	071	780	Ridge End Cap (R Profile)	Black	130	180	12.08
CDVRPBR	071	780	Ridge End Cap (R Profile)	Brown	130	180	12.08
CDVRPG	071	780	Ridge End Cap (R Profile)	Anthracite Grey	130	180	12.08
CDVRPW	071	780	Ridge End Cap (R Profile)	White	130	180	12.08

Continuous Dry Verge S Profile

Code	PG	Disc	Product Description	Colour	Width mm	Length mm	Price £
CDVSB5	071	780	Continuous Dry Verge (S Profile)	Black	60	5000	38.59
CDVSBR5	071	780	Continuous Dry Verge (S Profile)	Brown	60	5000	60.06
CDVSG5	071	780	Continuous Dry Verge (S Profile)	Anthracite Grey	60	5000	60.06
CDVSW5	071	780	Continuous Dry Verge (S Profile)	White	60	5000	38.59
CDVSCB	071	780	Straight Connector (S Profile)	Black	30	70	6.04
CDVSCBR	071	780	Straight Connector (S Profile)	Brown	30	70	6.04
CDVSCG	071	780	Straight Connector (S Profile)	Anthracite Grey	30	70	6.04
CDVSCW	071	780	Straight Connector (S Profile)	White	30	70	6.04
CDVSPB	071	780	Ridge End Cap (S Profile)	Black	110	140	12.08
CDVSPBR	071	780	Ridge End Cap (S Profile)	Brown	110	140	12.08
CDVSPG	071	780	Ridge End Cap (S Profile)	Anthracite Grey	110	140	12.08
CDVSPW	071	780	Ridge End Cap (S Profile)	White	110	140	12.08

Corotherm

Polycarbonate Insulating Roofing Sheet



**Cut to Size
SERVICE**
see page 36



Watch the installation

VIDEO 

arielplastics.com

Corotherm multiwall polycarbonate sheet is a lightweight impact resistant glazing and roofing material.

- Range of tints, thicknesses & sheet sizes
- Very strong and resistant to impact
- Fire rated 'Class 1' for safety
- Minimum condensation risk
- UV protected for durability
- Largely self-cleaning
- Guaranteed 10 year warranty

Ideal wherever heat insulation, reduced condensation, or simply a more attractive glazing material is required.

TINTS AVAILABLE

- > Clear
- > Bronze
- > Opal
- > Bronze Opal
- > Heatguard Opal

APPLICATIONS

- > Conservatories
- > Extensions
- > Car Ports
- > Porches
- > Swimming Pool Covers

Whether you are installing a veranda, canopy or carport **Corotherm multiwall polycarbonate sheet is the ideal choice**. This lightweight impact resistant glazing material is easy to handle, cut and install. For use in projects around the home and garden, Corotherm sheets are available in a range of thicknesses in light transmitting and solar controlling tints.

KEY INSTALLATION POINTS

Make sure UV protected side of sheet is facing outwards.

Allow minimum of 10° roof slope for water drainage.

The Ariel purlin supported glazing bar (for glazing bar base and cap see page 32) should be supported at intervals no greater than 1500mm.

Rafter glazing bars should be fully supported by rafters.

The lines of the flutes on the sheet must only run from the top to the bottom of the slope. They cannot be run from side to side.

Sheets cannot be joined top to bottom.

Glazing bars/F section cannot be joined - must be used as a continuous section.

When using F section run a suitable low-modulus silicone sealant down the inner top face of the enclosure before inserting sheet.



Energy Efficiency - Relative U-Values*

Sheet Thickness (mm)	Corotherm	Single Glass	Double Glass	Argon Filled Cavity
6 (Twinwall)	3.7	5.7	2.65	1.6
10 (Twinwall)	3.2	5.6	2.65	1.6
16 (Triplewall)	2.4	5.4	2.65	1.6
25 (Sevenwall)	1.4	-	2.65	1.6

ACCESSORIES



Rafter Glazing Bar Cap & Base
 Glazing Bar Base
 Glazing Bar End Cap
 Glazing Bar Cap
 Side Flashing
 End Cap
 Fixing Button
 Breather Tape
 Aluminium Sealing Tape



4mm Clear Twinwall

4mm for side cladding only, not suitable for roofing

Code	PG	Disc	Product Description	Width mm	Length mm	Price £
76880	030	762	Corotherm Clear Twinwall Sheet	610	1220	9.56
76881	030	762	Corotherm Clear Twinwall Sheet	1220	1200	18.95

6mm Clear Twinwall

6mm for side cladding only, not suitable for roofing

Code	PG	Disc	Product Description	Width mm	Length mm	Price £
76265	030	762	Corotherm Clear Twinwall Sheet	1050	6000	130.68
76160	030	762	Corotherm Clear Twinwall Sheet	2100	6000	261.39

10mm Clear Twinwall

Code	PG	Disc	Product Description	Width mm	Length mm	Price £
76104	030	763	Corotherm Clear Twinwall Sheet	700	2000	41.93
76523	030	763	Corotherm Clear Twinwall Sheet	700	2500	52.41
76100	030	763	Corotherm Clear Twinwall Sheet	700	3000	62.91
76238	030	763	Corotherm Clear Twinwall Sheet	700	4000	83.87
76525	030	763	Corotherm Clear Twinwall Sheet	700	6000	125.80
76624	030	763	Corotherm Clear Twinwall Sheet	900	2000	53.92
76610	030	763	Corotherm Clear Twinwall Sheet	900	2500	67.37
76664	030	763	Corotherm Clear Twinwall Sheet	900	3000	80.87
76607	030	763	Corotherm Clear Twinwall Sheet	900	4000	107.82
76608	030	763	Corotherm Clear Twinwall Sheet	900	6000	161.73
76653	030	763	Corotherm Clear Twinwall Sheet	980	2000	58.71
76650	030	763	Corotherm Clear Twinwall Sheet	980	2500	73.39
76654	030	763	Corotherm Clear Twinwall Sheet	980	3000	88.06
76655	030	763	Corotherm Clear Twinwall Sheet	980	4000	117.40
76652	030	763	Corotherm Clear Twinwall Sheet	980	6000	176.12
76215	030	763	Corotherm Clear Twinwall Sheet	1050	2000	62.91
76218	030	763	Corotherm Clear Twinwall Sheet	1050	2500	78.63
76230	030	763	Corotherm Clear Twinwall Sheet	1050	3000	94.35
76245	030	763	Corotherm Clear Twinwall Sheet	1050	4000	125.80
76260	030	763	Corotherm Clear Twinwall Sheet	1050	6000	188.69
76782	030	763	Corotherm Clear Twinwall Sheet	1220	2000	73.07
76697	030	763	Corotherm Clear Twinwall Sheet	1220	2500	91.35
76790	030	763	Corotherm Clear Twinwall Sheet	1220	3000	109.61
76820	030	763	Corotherm Clear Twinwall Sheet	1220	4000	146.16
76764	030	763	Corotherm Clear Twinwall Sheet	1220	6000	219.25

10mm Clear Twinwall

Code	PG	Disc	Product Description	Width mm	Length mm	Price £
76637	030	763	Corotherm Clear Twinwall Sheet	1600	2000	95.84
76331	030	763	Corotherm Clear Twinwall Sheet	1600	2500	119.80
76645	030	763	Corotherm Clear Twinwall Sheet	1600	3000	143.76
76625	030	763	Corotherm Clear Twinwall Sheet	1600	4000	191.67
76307	030	763	Corotherm Clear Twinwall Sheet	1600	6000	287.54
76170	030	763	Corotherm Clear Twinwall Sheet	2100	2000	125.80
76520	030	763	Corotherm Clear Twinwall Sheet	2100	2500	157.25
76185	030	763	Corotherm Clear Twinwall Sheet	2100	3000	188.69
76200	030	763	Corotherm Clear Twinwall Sheet	2100	4000	251.59
76155	030	763	Corotherm Clear Twinwall Sheet	2100	6000	377.38

10mm Bronze Twinwall

Code	PG	Disc	Product Description	Width mm	Length mm	Price £
76216	030	765	Corotherm Bronze Twinwall Sheet	1050	2000	66.04
76231	030	765	Corotherm Bronze Twinwall Sheet	1050	3000	99.07
76246	030	765	Corotherm Bronze Twinwall Sheet	1050	4000	132.12
76261	030	765	Corotherm Bronze Twinwall Sheet	1050	6000	198.17
76171	030	765	Corotherm Bronze Twinwall Sheet	2100	2000	132.12
76186	030	765	Corotherm Bronze Twinwall Sheet	2100	3000	198.17
76201	030	765	Corotherm Bronze Twinwall Sheet	2100	4000	264.22
76156	030	765	Corotherm Bronze Twinwall Sheet	2100	6000	396.34

16mm Clear Triplewall

Code	PG	Disc	Product Description	Width mm	Length mm	Price £
76876	030	764	Corotherm Clear Triplewall Sheet	610	2000	54.39
76849	030	764	Corotherm Clear Triplewall Sheet	610	2500	67.99
76874	030	764	Corotherm Clear Triplewall Sheet	610	3000	81.58
76898	030	764	Corotherm Clear Triplewall Sheet	610	4000	108.77
76899	030	764	Corotherm Clear Triplewall Sheet	610	6000	163.14
76709	030	764	Corotherm Clear Triplewall Sheet	700	2000	62.40
76543	030	764	Corotherm Clear Triplewall Sheet	700	2500	78.00
76103	030	764	Corotherm Clear Triplewall Sheet	700	3000	93.61
76251	030	764	Corotherm Clear Triplewall Sheet	700	4000	124.82
76105	030	764	Corotherm Clear Triplewall Sheet	700	6000	187.19



16mm Clear Triplewall



Code	PG	Disc	Product Description	Width mm	Length mm	Price £
76630	030	764	Corotherm Clear Triplewall Sheet	800	2000	71.33
76364	030	764	Corotherm Clear Triplewall Sheet	800	2500	89.15
76679	030	764	Corotherm Clear Triplewall Sheet	800	3000	107.00
76286	030	764	Corotherm Clear Triplewall Sheet	800	4000	142.65
76900	030	764	Corotherm Clear Triplewall Sheet	800	6000	213.95
76671	030	764	Corotherm Clear Triplewall Sheet	900	2000	80.23
76639	030	764	Corotherm Clear Triplewall Sheet	900	2500	100.30
76613	030	764	Corotherm Clear Triplewall Sheet	900	3000	120.37
76620	030	764	Corotherm Clear Triplewall Sheet	900	4000	160.48
76612	030	764	Corotherm Clear Triplewall Sheet	900	6000	240.69
76659	030	764	Corotherm Clear Triplewall Sheet	980	2000	87.36
76656	030	764	Corotherm Clear Triplewall Sheet	980	2500	109.19
76660	030	764	Corotherm Clear Triplewall Sheet	980	3000	131.06
76661	030	764	Corotherm Clear Triplewall Sheet	980	4000	174.75
76658	030	764	Corotherm Clear Triplewall Sheet	980	6000	262.12
76210	030	764	Corotherm Clear Triplewall Sheet	1050	2000	93.61
76521	030	764	Corotherm Clear Triplewall Sheet	1050	2500	117.01
76225	030	764	Corotherm Clear Triplewall Sheet	1050	3000	140.43
76240	030	764	Corotherm Clear Triplewall Sheet	1050	4000	187.19
76255	030	764	Corotherm Clear Triplewall Sheet	1050	6000	280.82
76841	030	764	Corotherm Clear Triplewall Sheet	1220	2000	108.77
76766	030	764	Corotherm Clear Triplewall Sheet	1220	2500	135.93
76715	030	764	Corotherm Clear Triplewall Sheet	1220	3000	163.14
76769	030	764	Corotherm Clear Triplewall Sheet	1220	4000	217.53
76758	030	764	Corotherm Clear Triplewall Sheet	1220	6000	326.29
76621	030	764	Corotherm Clear Triplewall Sheet	1600	2000	142.64
76674	030	764	Corotherm Clear Triplewall Sheet	1600	2500	178.31
76616	030	764	Corotherm Clear Triplewall Sheet	1600	3000	213.97
76614	030	764	Corotherm Clear Triplewall Sheet	1600	4000	285.30
76316	030	764	Corotherm Clear Triplewall Sheet	1600	6000	427.92
76165	030	764	Corotherm Clear Triplewall Sheet	2100	2000	187.19
76540	030	764	Corotherm Clear Triplewall Sheet	2100	2500	234.04
76180	030	764	Corotherm Clear Triplewall Sheet	2100	3000	280.82
76195	030	764	Corotherm Clear Triplewall Sheet	2100	4000	374.44
76150	030	764	Corotherm Clear Triplewall Sheet	2100	6000	561.68



16mm Bronze Triplewall

Code	PG	Disc	Product Description	Width mm	Length mm	Price £
76918	030	766	Corotherm Bronze Triplewall Sheet	610	2000	57.12
76919	030	766	Corotherm Bronze Triplewall Sheet	610	2500	71.39
76845	030	766	Corotherm Bronze Triplewall Sheet	610	3000	85.65
77112	030	766	Corotherm Bronze Triplewall Sheet	610	4000	114.21
77073	030	766	Corotherm Bronze Triplewall Sheet	610	6000	171.30
76234	030	766	Corotherm Bronze Triplewall Sheet	700	2000	65.55
76707	030	766	Corotherm Bronze Triplewall Sheet	700	2500	81.91
76183	030	766	Corotherm Bronze Triplewall Sheet	700	3000	98.28
76239	030	766	Corotherm Bronze Triplewall Sheet	700	4000	131.06
76106	030	766	Corotherm Bronze Triplewall Sheet	700	6000	196.59
76871	030	766	Corotherm Bronze Triplewall Sheet	800	2000	74.88
76867	030	766	Corotherm Bronze Triplewall Sheet	800	2500	93.60
76846	030	766	Corotherm Bronze Triplewall Sheet	800	3000	112.32
76792	030	766	Corotherm Bronze Triplewall Sheet	800	4000	149.76
76971	030	766	Corotherm Bronze Triplewall Sheet	800	6000	224.67
76852	030	766	Corotherm Bronze Triplewall Sheet	900	2000	84.26
76746	030	766	Corotherm Bronze Triplewall Sheet	900	2500	105.32
76755	030	766	Corotherm Bronze Triplewall Sheet	900	3000	126.37
76796	030	766	Corotherm Bronze Triplewall Sheet	900	4000	168.50
76635	030	766	Corotherm Bronze Triplewall Sheet	900	6000	252.75
76756	030	766	Corotherm Bronze Triplewall Sheet	980	2000	91.72
76213	030	766	Corotherm Bronze Triplewall Sheet	980	2500	114.69
76761	030	766	Corotherm Bronze Triplewall Sheet	980	3000	137.62
76767	030	766	Corotherm Bronze Triplewall Sheet	980	4000	183.47
77183	030	766	Corotherm Bronze Triplewall Sheet	980	6000	275.23
76211	030	766	Corotherm Bronze Triplewall Sheet	1050	2000	98.28
76248	030	766	Corotherm Bronze Triplewall Sheet	1050	2500	122.86
76226	030	766	Corotherm Bronze Triplewall Sheet	1050	3000	147.43
76241	030	766	Corotherm Bronze Triplewall Sheet	1050	4000	196.59
76256	030	766	Corotherm Bronze Triplewall Sheet	1050	6000	294.88
76768	030	766	Corotherm Bronze Triplewall Sheet	1220	2000	114.21
77074	030	766	Corotherm Bronze Triplewall Sheet	1220	2500	142.75
76704	030	766	Corotherm Bronze Triplewall Sheet	1220	3000	171.30
76754	030	766	Corotherm Bronze Triplewall Sheet	1220	4000	228.41
77236	030	766	Corotherm Bronze Triplewall Sheet	1220	6000	342.62



16mm Bronze Triplewall

Code	PG	Disc	Product Description	Width mm	Length mm	Price £
76786	030	766	Corotherm Bronze Triplewall Sheet	1600	2000	149.76
76757	030	766	Corotherm Bronze Triplewall Sheet	1600	2500	187.24
76789	030	766	Corotherm Bronze Triplewall Sheet	1600	3000	224.67
77115	030	766	Corotherm Bronze Triplewall Sheet	1600	4000	299.56
76743	030	766	Corotherm Bronze Triplewall Sheet	1600	6000	449.32
76166	030	766	Corotherm Bronze Triplewall Sheet	2100	2000	196.59
76214	030	766	Corotherm Bronze Triplewall Sheet	2100	2500	245.74
76181	030	766	Corotherm Bronze Triplewall Sheet	2100	3000	294.88
76178	030	766	Corotherm Bronze Triplewall Sheet	2100	4000	393.17
76151	030	766	Corotherm Bronze Triplewall Sheet	2100	6000	589.76

16mm Opal Triplewall

Code	PG	Disc	Product Description	Width mm	Length mm	Price £
76934	030	766	Corotherm Opal Triplewall Sheet	610	2000	57.12
77375	030	766	Corotherm Opal Triplewall Sheet	610	2500	71.39
77053	030	766	Corotherm Opal Triplewall Sheet	610	3000	85.65
77080	030	900	Corotherm Opal Triplewall Sheet	610	4000	114.21
606116OH	030	766	Corotherm Opal Triplewall Sheet	610	6000	171.30
76742	030	766	Corotherm Opal Triplewall Sheet	700	2000	65.55
77262	030	766	Corotherm Opal Triplewall Sheet	700	2500	81.91
76233	030	766	Corotherm Opal Triplewall Sheet	700	3000	98.28
77082	030	766	Corotherm Opal Triplewall Sheet	700	4000	131.06
607016OH	030	766	Corotherm Opal Triplewall Sheet	700	6000	196.59
76793	030	766	Corotherm Opal Triplewall Sheet	800	2000	74.88
77018	030	766	Corotherm Opal Triplewall Sheet	800	2500	93.60
77266	030	766	Corotherm Opal Triplewall Sheet	800	3000	112.32
76954	030	766	Corotherm Opal Triplewall Sheet	800	4000	149.76
77187	030	766	Corotherm Opal Triplewall Sheet	800	6000	224.67
77113	030	766	Corotherm Opal Triplewall Sheet	900	2000	84.26
76873	030	766	Corotherm Opal Triplewall Sheet	900	2500	105.32
76972	030	766	Corotherm Opal Triplewall Sheet	900	3000	126.37
77184	030	766	Corotherm Opal Triplewall Sheet	900	4000	168.50
609016OH	030	766	Corotherm Opal Triplewall Sheet	900	6000	252.75

Corotherm



16mm Opal Triplewall

Code	PG	Disc	Product Description	Width mm	Length mm	Price £
77086	030	766	Corotherm Opal Triplewall Sheet	980	2000	91.72
77119	030	766	Corotherm Opal Triplewall Sheet	980	2500	114.69
76810	030	766	Corotherm Opal Triplewall Sheet	980	3000	137.62
76981	030	766	Corotherm Opal Triplewall Sheet	980	4000	183.47
77281	030	766	Corotherm Opal Triplewall Sheet	980	6000	275.23
76212	030	766	Corotherm Opal Triplewall Sheet	1050	2000	98.28
77027	030	766	Corotherm Opal Triplewall Sheet	1050	2500	122.86
76227	030	766	Corotherm Opal Triplewall Sheet	1050	3000	147.43
76242	030	766	Corotherm Opal Triplewall Sheet	1050	4000	196.59
76257	030	766	Corotherm Opal Triplewall Sheet	1050	6000	294.88
76994	030	766	Corotherm Opal Triplewall Sheet	1220	2000	114.21
77191	030	766	Corotherm Opal Triplewall Sheet	1220	2500	142.75
76847	030	766	Corotherm Opal Triplewall Sheet	1220	3000	171.30
77195	030	766	Corotherm Opal Triplewall Sheet	1220	4000	228.41
76676	030	766	Corotherm Opal Triplewall Sheet	1220	6000	342.62
77088	030	766	Corotherm Opal Triplewall Sheet	1600	2000	149.76
77224	030	766	Corotherm Opal Triplewall Sheet	1600	2500	187.24
77081	030	766	Corotherm Opal Triplewall Sheet	1600	3000	224.67
77208	030	766	Corotherm Opal Triplewall Sheet	1600	4000	299.56
77149	030	766	Corotherm Opal Triplewall Sheet	1600	6000	449.32
76167	030	766	Corotherm Opal Triplewall Sheet	2100	2000	196.59
76727	030	766	Corotherm Opal Triplewall Sheet	2100	2500	245.74
76182	030	766	Corotherm Opal Triplewall Sheet	2100	3000	294.88
79196	030	766	Corotherm Opal Triplewall Sheet	2100	4000	393.17
76152	030	766	Corotherm Opal Triplewall Sheet	2100	6000	589.76

Corotherm

25mm Clear Sevenwall



Code	PG	Disc	Product Description	Width mm	Length mm	Price £
2070255CH	030	900	Corotherm Clear Sheet	700	2000	80.92
2570255CH	030	900	Corotherm Clear Sheet	700	2500	101.16
3070255CH	030	900	Corotherm Clear Sheet	700	3000	121.40
4070255CH	030	900	Corotherm Clear Sheet	700	4000	161.85
6070255CH	030	900	Corotherm Clear Sheet	700	6000	242.76
2080255CH	030	900	Corotherm Clear Sheet	800	2000	92.48
2580255CH	030	900	Corotherm Clear Sheet	800	2500	115.62
3080255CH	030	900	Corotherm Clear Sheet	800	3000	138.73
4080255CH	030	900	Corotherm Clear Sheet	800	4000	184.98
6080255CH	030	900	Corotherm Clear Sheet	800	6000	277.46
2090255CH	030	900	Corotherm Clear Sheet	900	2000	104.05
2590255CH	030	900	Corotherm Clear Sheet	900	2500	130.05
3090255CH	030	900	Corotherm Clear Sheet	900	3000	156.05
4090255CH	030	900	Corotherm Clear Sheet	900	4000	208.09
6090255CH	030	900	Corotherm Clear Sheet	900	6000	312.14
2010255CH	030	900	Corotherm Clear Sheet	1050	2000	121.40
2510255CH	030	900	Corotherm Clear Sheet	1050	2500	151.73
3010255CH	030	900	Corotherm Clear Sheet	1050	3000	182.09
4010255CH	030	900	Corotherm Clear Sheet	1050	4000	242.76
6010255CH	030	900	Corotherm Clear Sheet	1050	6000	364.17
2016255CH	030	900	Corotherm Clear Sheet	1600	2000	184.98
2516255CH	030	900	Corotherm Clear Sheet	1600	2500	231.20
3016255CH	030	900	Corotherm Clear Sheet	1600	3000	277.46
4016255CH	030	900	Corotherm Clear Sheet	1600	4000	369.94
6016255CH	030	900	Corotherm Clear Sheet	1600	6000	554.93
2021255CH	030	900	Corotherm Clear Sheet	2100	2000	242.76
2521255CH	030	900	Corotherm Clear Sheet	2100	2500	303.48
3021255CH	030	900	Corotherm Clear Sheet	2100	3000	364.17
4021255CH	030	900	Corotherm Clear Sheet	2100	4000	485.55
6021255CH	030	900	Corotherm Clear Sheet	2100	6000	728.34



Corotherm



25mm Bronze Sevenwall

Code	PG	Disc	Product Description	Width mm	Length mm	Price £
2070255BH	030	901	Corotherm Bronze Sheet	700	2000	84.97
2570255BH	030	901	Corotherm Bronze Sheet	700	2500	106.22
3070255BH	030	901	Corotherm Bronze Sheet	700	3000	127.46
4070255BH	030	901	Corotherm Bronze Sheet	700	4000	169.94
6070255BH	030	901	Corotherm Bronze Sheet	700	6000	254.92
2080255BH	030	901	Corotherm Bronze Sheet	800	2000	97.10
2580255BH	030	901	Corotherm Bronze Sheet	800	2500	121.40
3080255BH	030	901	Corotherm Bronze Sheet	800	3000	145.66
4080255BH	030	901	Corotherm Bronze Sheet	800	4000	194.22
6080255BH	030	901	Corotherm Bronze Sheet	800	6000	291.33
2090255BH	030	901	Corotherm Bronze Sheet	900	2000	109.25
2590255BH	030	901	Corotherm Bronze Sheet	900	2500	136.54
3090255BH	030	901	Corotherm Bronze Sheet	900	3000	163.87
4090255BH	030	901	Corotherm Bronze Sheet	900	4000	218.53
6090255BH	030	901	Corotherm Bronze Sheet	900	6000	327.76
2010255BH	030	901	Corotherm Bronze Sheet	1050	2000	127.46
2510255BH	030	901	Corotherm Bronze Sheet	1050	2500	159.33
3010255BH	030	901	Corotherm Bronze Sheet	1050	3000	191.18
4010255BH	030	901	Corotherm Bronze Sheet	1050	4000	254.92
6010255BH	030	901	Corotherm Bronze Sheet	1050	6000	382.38
2016255BH	030	901	Corotherm Bronze Sheet	1600	2000	194.22
2516255BH	030	901	Corotherm Bronze Sheet	1600	2500	242.76
3016255BH	030	901	Corotherm Bronze Sheet	1600	3000	291.33
4016255BH	030	901	Corotherm Bronze Sheet	1600	4000	388.44
6016255BH	030	901	Corotherm Bronze Sheet	1600	6000	582.67
2021255BH	030	901	Corotherm Bronze Sheet	2100	2000	254.92
2521255BH	030	901	Corotherm Bronze Sheet	2100	2500	318.66
3021255BH	030	901	Corotherm Bronze Sheet	2100	3000	382.38
4021255BH	030	901	Corotherm Bronze Sheet	2100	4000	509.84
6021255BH	030	901	Corotherm Bronze Sheet	2100	6000	764.76

Corotherm

25mm Opal Sevenwall



Code	PG	Disc	Product Description	Width mm	Length mm	Price £
2070255OH	030	901	Corotherm Opal Sheet	700	2000	84.97
2570255OH	030	901	Corotherm Opal Sheet	700	2500	106.22
3070255OH	030	901	Corotherm Opal Sheet	700	3000	127.46
4070255OH	030	901	Corotherm Opal Sheet	700	4000	169.94
6070255OH	030	901	Corotherm Opal Sheet	700	6000	254.92
2080255OH	030	901	Corotherm Opal Sheet	800	2000	97.10
2580255OH	030	901	Corotherm Opal Sheet	800	2500	121.40
3080255OH	030	901	Corotherm Opal Sheet	800	3000	145.66
4080255OH	030	901	Corotherm Opal Sheet	800	4000	193.71
6080255OH	030	901	Corotherm Opal Sheet	800	6000	291.33
2090255OH	030	901	Corotherm Opal Sheet	900	2000	109.25
2590255OH	030	901	Corotherm Opal Sheet	900	2500	136.54
3090255OH	030	901	Corotherm Opal Sheet	900	3000	163.87
4090255OH	030	901	Corotherm Opal Sheet	900	4000	218.53
6090255OH	030	901	Corotherm Opal Sheet	900	6000	327.76
2010255OH	030	901	Corotherm Opal Sheet	1050	2000	127.46
2510255OH	030	901	Corotherm Opal Sheet	1050	2500	159.33
3010255OH	030	901	Corotherm Opal Sheet	1050	3000	191.18
4010255OH	030	901	Corotherm Opal Sheet	1050	4000	254.92
6010255OH	030	901	Corotherm Opal Sheet	1050	6000	382.38
2016255OH	030	901	Corotherm Opal Sheet	1600	2000	194.22
2516255OH	030	901	Corotherm Opal Sheet	1600	2500	242.76
3016255OH	030	901	Corotherm Opal Sheet	1600	3000	291.33
4016255OH	030	901	Corotherm Opal Sheet	1600	4000	388.44
6016255OH	030	901	Corotherm Opal Sheet	1600	6000	582.67
2021255OH	030	901	Corotherm Opal Sheet	2100	2000	254.92
2521255OH	030	901	Corotherm Opal Sheet	2100	2500	318.66
3021255OH	030	901	Corotherm Opal Sheet	2100	3000	382.38
4021255OH	030	901	Corotherm Opal Sheet	2100	4000	509.84
6021255OH	030	901	Corotherm Opal Sheet	2100	6000	764.76


Corotherm

25mm Bronze Opal Sevenwall



Code	PG	Disc	Product Description	Width mm	Length mm	Price £
2070255BOH	030	902	Corotherm Bronze Opal Sheet	700	2000	93.09
2570255BOH	030	902	Corotherm Bronze Opal Sheet	700	2500	116.33
3070255BOH	030	902	Corotherm Bronze Opal Sheet	700	3000	139.61
4070255BOH	030	902	Corotherm Bronze Opal Sheet	700	4000	186.14
6070255BOH	030	902	Corotherm Bronze Opal Sheet	700	6000	279.19
2010255BOH	030	902	Corotherm Bronze Opal Sheet	1050	2000	139.61
2510255BOH	030	902	Corotherm Bronze Opal Sheet	1050	2500	174.51
3010255BOH	030	902	Corotherm Bronze Opal Sheet	1050	3000	209.38
4010255BOH	030	902	Corotherm Bronze Opal Sheet	1050	4000	279.19
6010255BOH	030	902	Corotherm Bronze Opal Sheet	1050	6000	418.79
2021255BOH	030	902	Corotherm Bronze Opal Sheet	2100	2000	279.19
2521255BOH	030	902	Corotherm Bronze Opal Sheet	2100	2500	348.99
3021255BOH	030	902	Corotherm Bronze Opal Sheet	2100	3000	418.79
4021255BOH	030	902	Corotherm Bronze Opal Sheet	2100	4000	558.39
6021255BOH	030	902	Corotherm Bronze Opal Sheet	2100	6000	837.59

25mm Heatguard Opal Sevenwall



Code	PG	Disc	Product Description	Width mm	Length mm	Price £
2070255HOH	030	902	Corotherm Heatguard Opal Sheet	700	2000	93.09
2570255HOH	030	902	Corotherm Heatguard Opal Sheet	700	2500	116.33
3070255HOH	030	902	Corotherm Heatguard Opal Sheet	700	3000	139.61
4070255HOH	030	902	Corotherm Heatguard Opal Sheet	700	4000	186.14
6070255HOH	030	902	Corotherm Heatguard Opal Sheet	700	6000	279.19
2010255HOH	030	902	Corotherm Heatguard Opal Sheet	1050	2000	139.61
2510255HOH	030	902	Corotherm Heatguard Opal Sheet	1050	2500	174.51
3010255HOH	030	902	Corotherm Heatguard Opal Sheet	1050	3000	209.38
4010255HOH	030	902	Corotherm Heatguard Opal Sheet	1050	4000	279.19
6010255HOH	030	902	Corotherm Heatguard Opal Sheet	1050	6000	418.79
2021255HOH	030	902	Corotherm Heatguard Opal Sheet	2100	2000	279.19
2521255HOH	030	902	Corotherm Heatguard Opal Sheet	2100	2500	348.99
3021255HOH	030	902	Corotherm Heatguard Opal Sheet	2100	3000	418.79
4021255HOH	030	902	Corotherm Heatguard Opal Sheet	2100	4000	558.39
6021255HOH	030	902	Corotherm Heatguard Opal Sheet	2100	6000	837.59

Accessories Multiwall polycarbonate

Code	PG	Disc	Rafter Glazing Bar Kit (for 10/16mm sheet only)	Colour	Length mm	Price £
76486	045	761	Rafter Glazing bar cap, base & end cap	White	3000	45.20
76551	045	761	Rafter Glazing bar cap, base & end cap	White	4000	59.48
BSYT	045	761	Rafter Glazing bar cap, base & end cap	White	6000	88.00
76964	045	761	Rafter Glazing bar cap, base & end cap	Brown	3000	48.50
76965	045	761	Rafter Glazing bar cap, base & end cap	Brown	4000	63.46
BFTY	045	761	Rafter Glazing bar cap, base & end cap	Brown	6000	93.47
Code	PG	Disc	Aluminium Purlin Supported Glazing Bar Base (10/16mm sheets only)	Colour	Length mm	Price £
76118	045	761	Glazing bar base - used with cap	Alumin.	3000	37.18
76119	045	761	Glazing bar base - used with cap	Alumin.	4000	49.55
76347	045	761	Glazing bar base - used with cap	Alumin.	6000	74.31
Code	PG	Disc	PVC Purlin Supported Glazing Bar Top Cap (10/16mm sheets only)	Colour	Length mm	Price £
76110	045	761	Glazing bar cap - used with base	White	3000	16.38
76111	045	761	Glazing bar cap - used with base	White	4000	21.84
76348	045	761	Glazing bar cap - used with base	White	6000	32.73
76460	045	761	Glazing bar cap - used with base	Brown	3000	21.60
76461	045	761	Glazing bar cap - used with base	Brown	4000	28.78
76468	045	761	Glazing bar cap - used with base	Brown	6000	43.20
Code	PG	Disc	Rafter Glazing Bar Kit (10/16/25mm sheet)	Colour	Length mm	Price £
BHPO	045	761	Glazing bar cap & base - with end cap	White	3000	58.24
BHPR	045	761	Glazing bar cap & base - with end cap	White	4000	77.10
BHOR	045	761	Glazing bar cap & base - with end cap	White	6000	115.01
BJOP	045	761	Glazing bar cap & base - with end cap	Brown	3000	60.48
BYTO	045	761	Glazing bar cap & base - with end cap	Brown	4000	80.17
BGTY	045	761	Glazing bar cap & base - with end cap	Brown	6000	119.25
Code	PG	Disc	Side Flashing	Colour	Length mm	Price £
76112	045	761	10mm Side Flashing	White	3000	14.36
76113	045	761	10mm Side Flashing	White	4000	19.13
76346	045	761	10mm Side Flashing	White	6000	28.70
76342	045	761	10mm Side Flashing	Brown	3000	17.98
76343	045	761	10mm Side Flashing	Brown	4000	23.91
76466	045	761	10mm Side Flashing	Brown	6000	35.88
76114	045	761	16mm Side Flashing	White	3000	14.36
76115	045	761	16mm Side Flashing	White	4000	19.13
76341	045	761	16mm Side Flashing	White	6000	28.70
76463	045	761	16mm Side Flashing	Brown	3000	17.98
76464	045	761	16mm Side Flashing	Brown	4000	23.91
76465	045	761	16mm Side Flashing	Brown	6000	35.88



Accessories Multiwall polycarbonate

Code	PG	Disc	Side Flashing	Colour	Length mm	Price £
BCOS	045	761	25mm Side Flashing	White	3000	21.95
BMOJ	045	761	25mm Side Flashing	White	4000	29.12
BGVV	045	761	25mm Side Flashing	White	6000	43.47
BYKZ	045	761	25mm Side Flashing	Brown	3000	23.91
BHSS	045	761	25mm Side Flashing	Brown	4000	31.92
BPWP	045	761	25mm Side Flashing	Brown	6000	47.72
Code	PG	Disc	Sheet End Cap	Colour	Length mm	Price £
76123	045	761	6mm Sheet End Cap - pack of 2	Clear	2100	13.64
76116	045	761	10mm Sheet End Cap - pack of 2	White	2100	13.64
76462	045	761	10mm Sheet End Cap - pack of 2	Brown	2100	17.36
76117	045	761	16mm Sheet End Cap - pack of 2	White	2100	13.64
76467	045	761	16mm Sheet End Cap - pack of 2	Brown	2100	17.36
BRBP	045	761	25mm Sheet End Cap - pack of 2	White	2100	19.27
BRTU	045	761	25mm Sheet End Cap - pack of 2	Brown	2100	21.16
Code	PG	Disc	Glazing Bar End Cap	Colour	Length	Price £
76489	045	761	10/16mm Glazing Bar End Cap	White	-	2.35
76490	045	761	10/16mm Glazing Bar End Cap	Brown	-	3.52
BEFT	045	761	25mm Glazing Bar End Cap	White	-	2.35
BUZT	045	761	25mm Glazing Bar End Cap	Brown	-	3.52
Code	PG	Disc	Fixing Buttons	Colour	Length	Price £
76414	045	761	6mm Standard Fixing Buttons - Pack of 10	White	-	12.81
76567	045	761	10mm Super Fixing Buttons - Pack of 10	White	-	15.99
76569	045	761	10mm Super Fixing Buttons - Pack of 10	Brown	-	15.99
76568	045	761	16mm Super Fixing Buttons - Pack of 10	White	-	15.99
76570	045	761	16mm Super Fixing Buttons - Pack of 10	Brown	-	15.99
BVUT	045	761	25mm Super Fixing Buttons - Pack of 10	White	-	16.58
BHUP	045	761	25mm Super Fixing Buttons - Pack of 10	Brown	-	16.58
Code	PG	Disc	Tapes & Sealant	Colour	Length mm	Price £
BSTP	045	761	10/16mm Breather Tape (38mm x 10m)	Blue	10,000	25.25
BMNO	045	761	10/16mm Aluminium Sealing Tape	Alumin.	10,000	5.43
BVTP	045	761	25mm Breather Tape (45mm x 10m)	Blue	10,000	29.55
BZOP	045	761	25mm Aluminium Sealing Tape (45mm x 10m)	Alumin.	10,000	6.41
76585	045	761	Flashing Tape (225mm x 10m)	Grey	10,000	58.35
76590	045	761	Low Modulus Silicone Sealant (310ml)	White	-	10.65



Self supporting roofing system



A professionally engineered **Self Supporting Roofing System** which free-spans 4.0m and accommodates 16mm, 25mm and 35mm Corotherm Multiwall Polycarbonate Roofing sheets (pg 20-33).

- Professionally engineered
- Innovative design
- Accommodates 16, 25 & 35mm sheet
- Easy to install
- Low maintenance

APPLICATIONS

- > Car Ports
- > Canopies
- > Conservatories
- > Replacement Roofing



Designed with flexibility in mind, this lean to roofing system is suitable for a wide variety of applications. Easy to install and available in a range of sizes - the Self Supporting Roofing System is the tradesman's choice.

Self Supporting Posts

Code	PG	Disc	Product Description	Colour	Price £
SSGP2	046	920	Self Supporting Goal Posts 2.5m (pack of 2)	White	272.51

*Intermediate Bars

Aluminium Glazing Bar with co-extruded PVC underclad and top capping

Code	PG	Disc	Product Description	Colour	Price £
SSBI25	046	920	2.5m Intermediate Bar	White	122.54
SSBI30	046	920	3.0m Intermediate Bar	White	146.98
SSBI35	046	920	3.5m Intermediate Bar	White	171.03
SSBI40	046	920	4.0m Intermediate Bar	White	195.98

*End caps included

*End Bars

Aluminium Glazing Bar with co-extruded PVC underclad and top capping

Code	PG	Disc	Product Description	Colour	Price £
SSBE25	046	920	2.5m End Bars	White	122.52
SSBE30	046	920	3.0m End Bars	White	146.98
SSBE35	046	920	3.5m End Bars	White	171.51
SSBE40	046	920	4.0m End Bars	White	195.98

*End caps included

End Caps

Code	PG	Disc	Product Description	Colour	Price £
SSEC	046	920	Bar End Caps	White	15.14

Wall Plates - Aluminium Wall Plate with PVC underclad and flashing

Code	PG	Disc	Product Description	Colour	Price £
SSBW30	046	920	3.0m Wall Plate	White	227.04
SSBW40	046	920	4.0m Wall Plate	White	302.72
SSBW50	046	920	5.0m Wall Plate	White	378.40

Standard Eaves Beam - Aluminium Eaves Beam with PVC Cladding

Code	PG	Disc	Product Description	Colour	Price £
SSEB3	046	920	3.0m Standard Eaves Beam	White	217.48
SSEB4	046	920	4.0m Standard Eaves Beam	White	241.29
SSEBC	046	920	Standard Eaves Beam Connector	White	11.94

Corotherm Cut to Size Service

The Ultimate Roofpack Service



Bespoke polycarbonate cutting service to exact size requirements. Optimises polycarbonate sheet for cutting, zero wastage.

- Zero wastage from cutting
- Pay only for the sheet you need
- 3 day delivery service
- Sheets supplied taped with foil & breather tape
- Professional service & support

Download the Order Form at www.arielplastics.com
Please fax completed form to: Fax: 01246 561111
or Email: sales@arielplastics.com for a quotation.



HOW TO ORDER

- > Decide on your project requirements for polycarbonate sheet and accessories.
- > Download your Cut to Size form and complete order and delivery details.
- > Place your order with your Ariel merchant and pay in store.
- > The merchant will send the order to Ariel Plastics on your behalf.
- > Your order will be delivered in 3 days from Ariel receiving the order.

ariel
CUT TO SIZE
Tel: 01246 561111
Email: sales@arielplastics.com

CUT TO SIZE ORDER

Polycarbonate Roofing Sheet

Billing Account:

Billing Address	Shipping Address
Merchant Name:	Company Name:
Customer Name:	Customer Name:
Address:	Address:
Tel:	Tel:
Fax:	Fax:
Email:	Email:

© 2014 Ariel Plastics. All rights reserved. Ariel Plastics is a registered trademark of Ariel Plastics. All other trademarks are the property of their respective owners.

Corotherm Multiwall Polycarbonate

Code	PG	Disc	Product Description	Thickness mm	Tint	Sqm Price £
BMR10C	050	952	Corotherm Multiwall Sheet	10	Clear	21.81
BMR10B	050	952	Corotherm Multiwall Sheet	10	Bronze	21.81
BMR10O	050	952	Corotherm Multiwall Sheet	10	Opal	21.81
BMR16C	050	953	Corotherm Multiwall Sheet	16	Clear	34.70
BMR16B	050	953	Corotherm Multiwall Sheet	16	Bronze	34.70
BMR16O	050	953	Corotherm Multiwall Sheet	16	Opal	34.70
BMR25C	050	954	Corotherm Multiwall Sheet	25	Clear	43.63
BMR25B	050	954	Corotherm Multiwall Sheet	25	Bronze	43.63
BMR25O	050	954	Corotherm Multiwall Sheet	25	Opal	43.63
BMR25BO	050	954	Corotherm Multiwall Sheet	25	Bronze Opal	50.26
BMR25HO	050	954	Corotherm Multiwall Sheet	25	Heatguard Opal	50.26
BMR35C7	050	955	Corotherm Multiwall Sheet	35	Clear	50.09
BMR35B7	050	955	Corotherm Multiwall Sheet	35	Bronze	50.09
BMR35O7	050	955	Corotherm Multiwall Sheet	35	Opal	50.09
BMR35BO7	050	955	Corotherm Multiwall Sheet	35	Bronze Opal	57.66
BMR35HO7	050	955	Corotherm Multiwall Sheet	35	Heatguard Opal	57.66

Self Supporting Roof (suitable for 16, 25 & 35mm sheet)

Code	PG	Disc	Product Description	Colour	Price £
BMSSGP2	050	951	Self supporting goal posts (2)	White	272.51
BMSSBI25	050	951	2.5m Intermediate bar	White	122.52
BMSSBI30	050	951	3.0m Intermediate bar	White	146.99
BMSSBI35	050	951	3.5m Intermediate bar	White	171.05
BMSSBI40	050	951	4.0m Intermediate bar	White	195.99
BMSSBE25	050	951	2.5m End bar	White	122.51
BMSSBE30	050	951	3.0m End bar	White	146.99
BMSSBE35	050	951	3.5m End bar	White	171.51
BMSSBE40	050	951	4.0m End bar	White	195.99
BMSSEC	050	951	Bar end caps	White	15.14
BMSBW30	050	951	3.0m Wall plate	White	227.04
BMSBW40	050	951	4.0m Wall plate	White	302.73
BMSBW50	050	951	5.0m Wall plate	White	378.39
BMSSEB3	050	951	3.0m standard eaves beam	White	217.48
BMSSEB4	050	951	4.0m standard eaves beam	White	241.29
BMSSEBC	050	951	Eaves beam connector	White	11.94

Polycarbonate Accessories (suitable for 10, 16 & 25mm sheet)

Code	PG	Disc	Product Description	Colour	Length mm	Unit Price £
BMBHPO	050	950	Glazing bar cap and base with end cap	White	3000	58.24
BMBHPR	050	950	Glazing bar cap and base with end cap	White	4000	77.10
BMBHOR	050	950	Glazing bar cap and base with end cap	White	6000	115.01
BMBJOP	050	950	Glazing bar cap and base with end cap	Brown	3000	60.48
BMBYTO	050	950	Glazing bar cap and base with end cap	Brown	4000	80.17
BMBGTY	050	950	Glazing bar cap and base with end cap	Brown	6000	119.25
BMBEFT	050	950	Glazing bar end cap	White	-	2.35
BMBUZZ	050	950	Glazing bar end cap	Brown	-	3.52

Side Flashing

Code	PG	Disc	Product Description	Width	Colour	Length mm	Price £
BM76112	050	950	10mm Side Flashing	10mm	White	3000	14.36
BM76113	050	950	10mm Side Flashing	10mm	White	4000	19.13
BM76346	050	950	10mm Side Flashing	10mm	White	6000	28.70
BM76342	050	950	10mm Side Flashing	10mm	Brown	3000	17.98
BM76343	050	950	10mm Side Flashing	10mm	Brown	4000	23.91
BM76466	050	950	10mm Side Flashing	10mm	Brown	6000	35.88
BM76114	050	950	16mm Side Flashing	16mm	White	3000	14.36
BM76115	050	950	16mm Side Flashing	16mm	White	4000	19.13
BM76341	050	950	16mm Side Flashing	16mm	White	6000	28.70
BM76463	050	950	16mm Side Flashing	16mm	Brown	3000	17.98
BM76464	050	950	16mm Side Flashing	16mm	Brown	4000	23.91
BM76465	050	950	16mm Side Flashing	16mm	Brown	6000	35.88
BMBCOS	050	950	25mm Side Flashing	25mm	White	3000	21.95
BMBMOJ	050	950	25mm Side Flashing	25mm	White	4000	29.12
BMBGVV	050	950	25mm Side Flashing	25mm	White	6000	43.47
BMBYKZ	050	950	25mm Side Flashing	25mm	Brown	3000	23.91
BMBHSS	050	950	25mm Side Flashing	25mm	Brown	4000	31.92
BMBPWP	050	950	25mm Side Flashing	25mm	Brown	6000	47.72

Engineered to last, mega tough **Corolite** and **Corolite CST** polycarbonate sheets combine strength and impact resistance with glass like clarity and light transmission. This hardwearing and durable rooflight material is ideal for roofing applications which demand a sheet that punches above its weight for guaranteed long-term performance.

- High natural light transmission • Optically clear
- Damage and impact resistant • Lightweight and easy to handle
- Weather resistant • Longlife UV protection
- Excellent fire performance • Chemical resistance
- 10 year limited warranty (Terms & Conditions apply*)

Corolite

Corrugated Polycarbonate



APPLICATIONS

- > Patio Canopies
- > Awnings
- > Greenhouses
- > Carports
- > Gazebos & Pergolas



Corolite CST


Corrugated Multiwall Polycarbonate



APPLICATIONS


- > Rooflights
- > Vertical Glazing
- > Screens & Partitions
- > Cladding






Corolite Iron 10.5/3"

Code	PG	Disc	Product Description	Colour	Width mm	Thickness mm	Length mm	Price £
76902	067	067	Corrugated 3" Polycarbonate Sheet	Clear	848	0.8	1800	32.82
76904	067	067	Corrugated 3" Polycarbonate Sheet	Clear	848	0.8	2400	43.77
76906	067	067	Corrugated 3" Polycarbonate Sheet	Clear	848	0.8	3000	54.71




Corolite Greca NEW

Code	PG	Disc	Product Description	Colour	Width mm	Thickness mm	Length mm	Price £
76922	067	067	Corrugated Greca Polycarbonate Sheet	Clear	1060	0.8	1800	44.61
76924	067	067	Corrugated Greca Polycarbonate Sheet	Clear	1060	0.8	2400	59.49
76926	067	067	Corrugated Greca Polycarbonate Sheet	Clear	1060	0.8	3000	74.36



Corolite CST Iron 13/3" Twinwall NEW

Code	PG	Disc	Product Description	Colour	Width mm	Thickness mm	Length mm	Price £
75004	067	067	Corrugated Twinwall Sheet	Clear	1060	2.5	1830	51.12
75008	067	067	Corrugated Twinwall Sheet	Clear	1060	2.5	2440	68.15
75012	067	067	Corrugated Twinwall Sheet	Clear	1060	2.5	3050	85.21





Corolite CST 177/51 Triplewall

Code	PG	Disc	Product Description	Colour	Width mm	Thickness mm	Length mm	Price £
76004	067	067	Corrugated Triplewall Sheet	Clear	1097	6	1830	82.84
76008	067	067	Corrugated Triplewall Sheet	Clear	1097	6	2440	110.51
76012	067	067	Corrugated Triplewall Sheet	Clear	1097	6	3050	138.12

Vistalux

Corrugated PVC



Economic, lightweight and easy to install, **Vistalux PVC** is a versatile corrugated rooflight sheet for car ports, canopies and gazebos. It is easy to cut, drill and install with standard DIY tools and is available in a choice of corrugated profiles in clear or translucent tint options.

- Clear or translucent
- Range of profiles
- Sheet weights: Lightweight 0.8mm, Heavy Duty 1.1mm, Superweight 1.3mm
- UV resistant for durability
- Largely self-cleaning
- 10 year warranty


APPLICATIONS

- > Car Ports
- > Covered Walkways
- > Porches
- > Splash Barriers
- > Cloches & Cold Frames
- > Planhouses
- > Side Cladding



Vistalux ASB 3"

(matches Asbestos profile)



Code	PG	Disc	Product Description	Thickness mm	Colour	Width mm	Length mm/ft	Price £
18004	056	180	Lightweight Sheet	0.8	Clear	762	1830/6	13.66
18006	056	180	Lightweight Sheet	0.8	Clear	762	2135/7	15.96
18008	056	180	Lightweight Sheet	0.8	Clear	762	2440/8	18.23
18010	056	180	Lightweight Sheet	0.8	Clear	762	2745/9	20.53
18012	056	180	Lightweight Sheet	0.8	Clear	762	3050/10	22.77
19004	056	190	Heavy Duty Sheet	1.1	Clear	762	1830/6	20.71
19006	056	190	Heavy Duty Sheet	1.1	Clear	762	2135/7	24.15
19008	056	190	Heavy Duty Sheet	1.1	Clear	762	2440/8	27.58
19010	056	190	Heavy Duty Sheet	1.1	Clear	762	2745/9	31.04
19012	056	190	Heavy Duty Sheet	1.1	Clear	762	3050/10	34.48
19016	056	190	Heavy Duty Sheet	1.1	Clear	762	3660/12	41.39
20004	056	200	BS Superweight Sheet	1.3	Clear	762	1830/6	24.56
20006	056	200	BS Superweight Sheet	1.3	Clear	762	2135/7	28.67
20008	056	200	BS Superweight Sheet	1.3	Clear	762	2440/8	32.77
20010	056	200	BS Superweight Sheet	1.3	Clear	762	2745/9	36.87
20012	056	200	BS Superweight Sheet	1.3	Clear	762	3050/10	40.98
20016	056	200	BS Superweight Sheet	1.3	Clear	762	3660/12	49.15

Vistalux ASB 3" Accessories

Code	PG	Disc	Product Description	Price £
35000	058	350	3" Super Fixings (Pack of 10)	2.39
37001	058	370	3" Wall Flashings Clear PVC 695mm	10.78
39000	058	390	3" Polyethylene Eaves Filler (Pack of 6) 680mm	6.71
ERDP	058	360	3" Adjustable Ridge Clear PVC - 685mm	25.26
36000	058	360	3" Adjustable Ridge Clear PVC - 1090mm wide*	25.26
38011	058	350	Ariel Sealing Strip per 15m	8.88

*2 pieces required to make 1 metre ridge.



Fixings



Eaves Filler



Flashing




Ridge



Sealing Strip

Vistalux ASB 6"

(matches Asbestos profile)




Code	PG	Disc	Product Description	Thickness mm	Colour	Width mm	Length mm/ft	Price £
22002	056	220	BS Superweight Sheet	1.3	Clear	1086	1525/5	30.66
22004	056	220	BS Superweight Sheet	1.3	Clear	1086	1830/6	38.58
22006	056	220	BS Superweight Sheet	1.3	Clear	1086	2135/7	45.14
22008	056	220	BS Superweight Sheet	1.3	Clear	1086	2440/8	51.46
22010	056	220	BS Superweight Sheet	1.3	Clear	1086	2745/9	57.99
22012	056	220	BS Superweight Sheet	1.3	Clear	1086	3050/10	64.31
22016	056	220	BS Superweight Sheet	1.3	Clear	1086	3660/12	77.26

Vistalux ASB 6" Accessories

Code	PG	Disc	Product Description	Price £
35002	058	350	6" Fixings (Pack of 10)	16.85
76853	058	390	6" Polyethylene Eaves Filler (Pack of 6) 950mm	13.66
38011	058	350	Ariel Sealing Strip per 15m	8.88

Vistalux Cast Iron 10/3"


(matches corrugated iron profile)



Code	PG	Disc	Product Description	Thickness mm	Colour	Width mm	Length mm/ft	Price £
24002	056	250	BS Superweight Sheet	1.3	Clear	812	1525/5	27.51
24004	056	250	BS Superweight Sheet	1.3	Clear	812	1830/6	32.97
24006	056	250	BS Superweight Sheet	1.3	Clear	812	2135/7	38.48
24008	056	250	BS Superweight Sheet	1.3	Clear	812	2440/8	44.00
24010	056	250	BS Superweight Sheet	1.3	Clear	812	2745/9	49.51
24012	056	250	BS Superweight Sheet	1.3	Clear	812	3050/10	54.96
24014	056	250	BS Superweight Sheet	1.3	Clear	812	3355/11	60.47
24016	056	250	BS Superweight Sheet	1.3	Clear	812	3660/12	65.98
24018	056	250	BS Superweight Sheet	1.3	Clear	812	3965/13	71.49
24020	056	250	BS Superweight Sheet	1.3	Clear	812	4270/14	76.95
24022	056	250	BS Superweight Sheet	1.3	Clear	812	4575/15	82.47
24024	056	250	BS Superweight Sheet	1.3	Clear	812	4880/16	87.98
25004	056	250	Heavy Duty Sheet	1.1	Clear	812	1830/6	27.93
25008	056	250	Heavy Duty Sheet	1.1	Clear	812	2440/8	37.23
25012	056	250	Heavy Duty Sheet	1.1	Clear	812	3050/10	46.55
25016	056	250	Heavy Duty Sheet	1.1	Clear	812	3660/12	55.83

Vistalux Cast Iron 8/3"


(matches corrugated iron profile)



Code	PG	Disc	Product Description	Thickness mm	Colour	Width mm	Length mm/ft	Price £
21004	056	210	Heavy Duty Sheet	1.1	Clear	660	1830/6	20.71
21008	056	210	Heavy Duty Sheet	1.1	Clear	660	2440/8	27.58
21012	056	210	Heavy Duty Sheet	1.1	Clear	660	3050/10	34.48


For details of accessories please contact sales@arielplastics.com

Corolux 77/20 profile



Code	PG	Disc	Product Description	Thickness mm	Colour	Width mm	Length mm	Price £
08504	055	85	Lightweight Sheet	0.8	Clear	660	1800	15.80
08508	055	85	Lightweight Sheet	0.8	Clear	660	2400	21.01
08512	055	85	Lightweight Sheet	0.8	Clear	660	3000	26.28

Corolux Miniature Profile



Code	PG	Disc	Product Description	Thickness mm	Colour	Width mm	Length mm/ft	Price £
11004	055	110	Lightweight Sheet	0.8	Translucent	662	1830/6	9.56
11008	055	110	Lightweight Sheet	0.8	Translucent	662	2440/8	12.74
11012	055	110	Lightweight Sheet	0.8	Translucent	662	3050/10	15.95
12004	055	120	Lightweight Sheet	0.8	Clear	662	1830/6	12.74
12008	055	120	Lightweight Sheet	0.8	Clear	662	2440/8	17.02
12012	055	120	Lightweight Sheet	0.8	Clear	662	3050/10	21.24


Corolux Miniature Profile Accessories

Code	PG	Disc	Product Description	Price £
34000	058	340	Miniature Profile Fixings (Pack of 10)	0.68
37002	058	370	Mini Wall Flashings Clear PVC 710mm	10.16
39002	058	390	Miniature Polyethylene Eaves Filler (Pack of 6) 690mm	4.57
38011	058	350	Ariel Sealing Strip per 15m	8.88

Coroline

Corrugated Bituminous Roofing Sheet

Onduline



Environmentally friendly roofing options, **Coroline** and **Onduline** corrugated bitumen sheets are tough, lightweight roofing and cladding materials made from bitumen saturated organic fibres. Coroline is 2.6mm thick and Onduline is 3mm thick.

- Economical
- Resilient
- Environmentally friendly
- Guaranteed waterproof for 15 years*
- Simple to fix
- High insulation & sound absorbency values
- Compatible with most commercially available construction materials

*When fitted to manufacturers instructions

APPLICATIONS

- > Garden Sheds
- > Garages
- > Stables
- > Agricultural Buildings



PROPERTIES	COROLINE	ONDULINE MINI	ONDULINE
Sheet Size	2000mm x 950mm	2000mm x 866mm	2000mm x 950mm
Cover Width	855mm	768mm	855mm
Thickness	2.6mm	2.6mm	3mm
Sheet Weight	5.6kg	5.8 kg	6.4kg
Material Weight	2.9kg/m ²	3.4kg/m ²	3.3kg/m ²
Corrugation	38mm height 95mm width	24mm height 48mm width	38mm height 95mm width



Corrugated Bitumen (Sheet thickness 2.6mm)

Code	PG	Disc	Product Description	Colour	Length mm	Price £
CBS	060	740	Coroline Sheet - 950mm width	Black	2000	15.47
CBR	060	740	Ridge - 1000mm width	Black	-	7.94
74502	060	740	Fixings - Pack of 20	Black	-	2.10
74503	060	740	Fixings - Pack of 400	Black	-	36.84
CGS	060	740	Coroline Sheet - 950mm width	Green	2000	20.08
CGR	060	740	Ridge - 1000mm width	Green	-	9.59
74522	060	740	Fixings - Pack of 20	Green	-	2.10
74523	060	740	Fixings - Pack of 400	Green	-	36.84
CRS	060	740	Coroline Sheet - 950mm width	Red	2000	20.08
CRR	060	740	Ridge - 1000mm width	Red	-	9.59
74512	060	740	Fixings - Pack of 20	Red	-	2.10
74513	060	740	Fixings - Pack of 400	Red	-	36.84
CBRS	060	740	Coroline Sheet - 950mm width	Brown	2000	20.08
CBRR	060	740	Ridge - 1000mm width	Brown	-	9.59
74512	060	740	Fixings - Pack of 20	Brown	-	2.10
74513	060	740	Fixings - Pack of 400	Brown	-	36.84
74575	060	740	Coroline Eaves Fillers - 840mm width Pack of 6	-	-	15.13
74200	060	740	PVC Sheet - 950mm width (1.2mm thick)	Translucent	2000	26.30

Coroline Ridges, Eaves Fillers and Translucent sheet can be used with Onduline - Coroline discounts will apply.
Ridge cover = 875mm



Corrugated Bitumen (Sheet thickness 3mm)

Code	PG	Disc	Product Description	Colour	Length mm	Price £
OBS	061	570	Onduline Sheet - 950mm width	Black	2000	18.93
OVB	061	570	Verge	Black	1000	11.07
OBF2	061	570	Fixings - Pack of 20	Black	-	1.96
OBF4	061	570	Fixings - Pack of 400	Black	-	33.21
OGS	061	570	Onduline Sheet - 950mm width	Green	2000	25.22
OVG	061	570	Verge	Green	1000	13.74
OGF2	061	570	Fixings - Pack of 20	Green	-	1.96
OGF4	061	570	Fixings - Pack of 400	Green	-	33.21
ORS	061	570	Onduline Sheet - 950mm width	Red	2000	25.22
OVR	061	570	Verge	Red	1000	13.74
ORF2	061	570	Fixings - Pack of 20	Red	-	1.96
ORF4	061	570	Fixings - Pack of 400	Red	-	33.21
OBRS	061	570	Onduline Sheet - 950mm width	Brown	2000	25.22
OVBR	061	570	Verge	Brown	1000	13.74
OBRF2	061	570	Fixings - Pack of 20	Brown	-	1.96
OBRF4	061	570	Fixings - Pack of 400	Brown	-	33.21

Onduline Verges can be used with Coroline - Onduline discounts will apply.

Corrugated Bitumen Mini Profile (Sheet thickness 2.6mm)

Code	PG	Disc	Product Description	Colour	Length mm	Price £
CM18B	060	740	Onduline Mini Sheet - 866mm width	Black	2000	17.78
CM18G	060	740	Onduline Mini Sheet - 866mm width	Green	2000	23.71
CMBF2	060	740	Onduline Mini Fixings - pack 20	Black	-	1.93

Accessories

Code	PG	Disc	Product Description	Colour	Width mm	Price £
OBA	061	570	Apron Flashing	Black	930	24.23
FT150	077	780	Ondutile Eaves Tray	-	1500	3.18
OBG	061	570	Batten Cloaking Piece	-	1220	8.85
OVS	061	570	Ventilator Strip	-	1010	8.48

Verge cover = 875mm

Apron Flashing cover = 846mm

Eaves Tray cover = 1350mm

Batten Cloaking Piece Cover = 1120mm

Corotile

Lightweight Metal Roofing System



APPLICATIONS

- > Chalets
- > Play houses
- > Tool sheds
- > Garden offices
- > Stables
- > Garages

Corotile is an innovative lightweight metal roofing system which is easy to fit on any size of roof. Its distinct profile and charcoal finish can enhance a wide variety of small building projects, from tool sheds to garden offices.

- Easy to install
- Strong & secure
- Lasts 20+ years
- 15 year guarantee

Metal Roofing System

Code	PG	Disc	Product Description	Colour	Width mm	Price £
CTPANEL	069	944	Corotile Panel - 1140mm length	Charcoal Grey	860mm	43.38
CTBARGE	069	944	Corotile Barge Covers - 90mm	Charcoal Grey	910mm	30.72
CTRIDGE	069	944	Corotile Ridge - 340mm	Charcoal Grey	910mm	26.91
CTCAP	069	944	Corotile End Cap	Charcoal Grey	-	13.63
CTFIX	069	944	Corotile Screws & Washers (Pk of 10)	Charcoal Grey	-	2.89

Corozinc

Galvanised Corrugated Sheet




Suitable for roofing and cladding, Ariel's corrugated galvanised roofing sheet is available in the 8/3 profile in a wide selection of lengths. Cover width is 610mm.

APPLICATIONS

- > Out Houses
- > Tool Sheds
- > Kennels
- > Garages

- Extremely hardwearing
- Zinc coated on both sides
- Choice of lengths available
- Easy fix using DIY tools

Ideal for use on agricultural out buildings, garden buildings and timber frame roofing or cladding projects.



Corozinc Galvanised Sheet

Code	PG	Disc	Product Description	Width mm	Length mm	Price £
55002	073	025	Galvanised Corrugated 8/3 Roof Sheet	660	1525	24.50
55004	073	025	Galvanised Corrugated 8/3 Roof Sheet	660	1830	29.40
55006	073	025	Galvanised Corrugated 8/3 Roof Sheet	660	2135	34.30
55008	073	025	Galvanised Corrugated 8/3 Roof Sheet	660	2440	39.20
55010	073	025	Galvanised Corrugated 8/3 Roof Sheet	660	2745	44.10
55012	073	025	Galvanised Corrugated 8/3 Roof Sheet	660	3050	49.00
55016	073	025	Galvanised Corrugated 8/3 Roof Sheet	660	3660	58.80
55052	073	025	Galvanised Corrugated 8/3 Angle 105°	145	3000	41.55
55054	073	025	Galvanised Corrugated 8/3 Barge 90°	145	3000	41.55
55056	073	025	Galvanised Corrugated 8/3 Ridge 145°	145	3000	41.55
55058	073	025	Galvanised Corrugated Fixings (100pk)	-	60	31.25


NOTE

It is advisable when fitting roof sheets to ensure that they are overlapping by at least one corrugation and to work from left to right on a building when installing.



Coroshingle

Roofing Shingles



Ideal for use on domestic buildings, garden buildings and timber frame roofing projects, **Coroshingle Roofing Shingles** are manufactured from high quality materials, using the latest production technology to produce an attractive, durable and weatherable roof finish.


APPLICATIONS

- > Play Houses
- > Tool Sheds
- > Kennels
- > Garden Rooms
- > Summer Houses

- Durable and hardwearing
- Environmentally friendly
- Guaranteed waterproof for 10 years
- Choice of colours
- Easy fix using DIY tools



Ideal for use on domestic buildings, garden buildings and timber frame roofing projects.



Coroshingle Shingle Tile

Code	PG	Disc	Product Description	Colour	Width mm	Length mm	Price £
CGSH2	068	642	Roofing Shingles (2m ² per pack)	Green	340	1000	38.85
CGDS225	068	642	Coroshingle Detail Strip Roll	Green	300	7500	31.29
CRSH2	068	642	Roofing Shingles (2m ² per pack)	Red	340	1000	38.85
CRDS225	068	642	Coroshingle Detail Strip Roll	Red	300	7500	31.29
CSSH2	068	642	Roofing Shingles (2m ² per pack)	Slate	340	1000	38.85
CSDS225	068	642	Coroshingle Detail Strip Roll	Slate	300	7500	31.29

SLATE



RED




GREEN



Farmlite

GRP Sheet



Developed to withstand challenging agricultural environments, **Farmlite GRP rooflight and cladding sheets** with anti-yellowing technology remain more translucent, durable and longer lasting. The dual action UV surface protection and inbuilt UV stabilised resin system act to safeguard Farmlite rooflights against surface erosion for a working sheet life in excess of 25 years, whilst preventing significant yellowing for at least 20 years.

APPLICATIONS

- > Barns
- > Storage Sheds
- > Milking Parlours
- > Stables
- > Animal Sheds
- > Farm Shops
- > Equestrian Buildings




Ideal for use on agricultural buildings, storage facilities or workshops.


6" Farmlite GRP

Code	PG	Disc	Product Description	Width mm	Length mm/ft	Price £
81054	042	830	Farmlite GRP Sheet Standard 6"	1086	1830/6	47.19
81059	042	830	Farmlite GRP Sheet Standard 6"	1086	2440/8	62.88
81063	042	830	Farmlite GRP Sheet Standard 6"	1086	3050/10	78.62

- Protection from yellowing
- Long term quality light transmission
- Superior strength; Enhanced durability
- Sheet life of 25 years+
- Fire rating SAB Class 3
- Sheet Weight 2.44kg/m²



Rooflights after 10 years weathering*



*Representation of results of QUV weathering tests following 2,000 hours of weathering

Flat Glazing



Ariel Plastics offer an extensive range of **flat glazing** options in clear polycarbonate sheet, acrylic sheet and polystyrene sheet for a range of applications. Polycarbonate and acrylic offer UV Protection.

PROPERTIES	COROTHERM FLAT	LITEGLAZE	STYRENE
Impact Resistance	Exceptional 200 times that of glass	Good 7 times that of glass	Good 5 times that of glass
Suitable for exterior use	Yes	Yes	No
Optical Clarity	Good	Good	Good
Light Transmission	92%	92%	92%
Material Weight	2.4kg/m ²	2.38kg/m ²	2.1kg/m ²

- Acrylic Sheet Exterior
- Polystyrene Sheet Interior Grade
- Solid Polycarbonate Sheet

Options in Acrylic, Polycarbonate and Styrene

Liteglaze

Clear Acrylic Sheet Exterior Grade

INTERIOR &
EXTERIOR USE

FEATURES

- Safer & stronger than glass
- Easily transportable
- Light in weight
- UV resistant
- Flexible
- Suitable for interior & exterior use

APPLICATIONS

- > Secondary Double Glazing
- > Replacement Windows (Planhouses & Sheds)
- > Cloches & Coldframes
- > Room Dividers
- > Display Cases & Door Panels

Styrene

Clear Polystyrene Sheet

INTERIOR
USE ONLY

FEATURES

- Safer & stronger than glass
- Easily transportable
- Light in weight
- Economical
- Suitable for interior use only

APPLICATIONS

- > Splashbacks & Wallpaper Protection
- > Display Cases & Cupboard Fronts
- > Room Dividers
- > Interior Door Panels
- > Lightweight Shelving
- > Picture Framing

Corotherm Flat

Solid Polycarbonate Sheet

INTERIOR &
EXTERIOR USE

FEATURES

- Very high impact resistant
- Much safer than glass
- Flexible
- High light transmission
- UV resistant
- Suitable for interior & exterior use
- Class 1 fire rating

APPLICATIONS

- > Primary Glazing
- > Secondary Glazing
- > Areas Where Security is Vital
- > Where Vandalism is Possible
- > Screen Guards & Visors

Corotherm Flat

Flat Polycarbonate Sheet Range

UV Protected both sides. Suitable for interior and exterior use.

Code	PG	Disc	Product Description	Thickness mm	Width mm	Length mm	Price £
76889	063	760	Polycarbonate Sheet	4	1220	1830	196.60
76887	063	760	Polycarbonate Sheet	4	1220	2440	262.14
76890	063	760	Polycarbonate Sheet	6	1220	1830	294.51
76886	063	760	Polycarbonate Sheet	6	1220	2440	392.68

Liteglaze

Acrylic Sheet Range

UV Protected both sides. Suitable for interior and exterior use.

Code	PG	Disc	Product Description	Thickness mm	Width mm	Length mm	Price £
66000	064	660	Acrylic Sheet	2	600	1200	30.73
66002	064	660	Acrylic Sheet	2	600	1800	46.11
66001	064	660	Acrylic Sheet	2	1200	1200	61.45
66003	064	660	Acrylic Sheet	2	1200	1800	92.20
66004	064	660	Acrylic Sheet	2	1200	2400	122.92
66025	064	660	Acrylic Sheet	4	600	1200	61.45
66032	064	660	Acrylic Sheet	4	600	1800	92.70
66021	064	660	Acrylic Sheet	4	1200	1200	122.92
66019	064	660	Acrylic Sheet	4	1200	1800	184.35
66031	064	660	Acrylic Sheet	4	1200	2400	245.82
66040	064	660	Acrylic Sheet	6	600	1200	79.79
66043	064	660	Acrylic Sheet	6	900	1200	119.68
66046	064	660	Acrylic Sheet	6	600	1800	131.64
76711	064	660	Liteglaze Glazing Strip	-	-	1830	7.83



Clear Polystyrene Sheet Standard Range - Only suitable for interior use.

Code	PG	Disc	Product Description	Thickness mm	Width mm	Length mm	Price £
64120	065	645	Polystyrene Sheet	2	600	1200	19.51
64122	065	645	Polystyrene Sheet	2	600	1800	29.23
64121	065	645	Polystyrene Sheet	2	900	1200	29.23
64124	065	645	Polystyrene Sheet	2	1200	1200	38.99
64125	065	645	Polystyrene Sheet	2	1200	1800	58.47
64126	065	645	Polystyrene Sheet	2	1200	2400	77.95
64130	065	645	Polystyrene Sheet	4	600	1200	36.71
64133	065	645	Polystyrene Sheet	4	600	1800	55.03
64131	065	645	Polystyrene Sheet	4	900	1200	55.03
64132	065	645	Polystyrene Sheet	4	1200	1200	73.35
64134	065	645	Polystyrene Sheet	4	1200	1800	110.04
64136	065	645	Polystyrene Sheet	4	1200	2400	146.73

Clear Polystyrene Sheet Imperial Range - Only suitable for interior use.

Code	PG	Disc	Product Description	Thickness mm	Size	Price £
64220	041	645	Polystyrene Sheet	2	2ft x 4ft	20.14
64221	041	645	Polystyrene Sheet	2	3ft x 4ft	30.18
64222	041	645	Polystyrene Sheet	2	4ft x 4ft	40.25
64223	041	645	Polystyrene Sheet	2	2ft x 6ft	30.18
64224	041	645	Polystyrene Sheet	2	6ft x 3ft	45.27
64225	041	645	Polystyrene Sheet	2	6ft x 4ft	60.36
64226	041	645	Polystyrene Sheet	2	8ft x 4ft	80.47
64230	041	645	Polystyrene Sheet	4	2ft x 4ft	37.89
64231	041	645	Polystyrene Sheet	4	3ft x 4ft	56.81
64232	041	645	Polystyrene Sheet	4	4ft x 4ft	75.73
64233	041	645	Polystyrene Sheet	4	2ft x 6ft	56.81
64234	041	645	Polystyrene Sheet	4	3ft x 6ft	85.20
64235	041	645	Polystyrene Sheet	4	4ft x 6ft	113.59
64236	041	645	Polystyrene Sheet	4	4ft x 8ft	151.45

mardome

Dome Rooflights



APPLICATIONS

- > Flat roofs of kitchens bathrooms and extensions

Mardome rooflights for flat roofs provide superior style with more choice to improve performance than ever before. With Mardome Hi-Lights and a selection of Trade and Reflex models available for 48hr delivery, unnecessary and inconvenient delays to site can be avoided.

Simply place your order with Ariel Plastics by 2pm and a range of Mardome Trade, Mardome Reflex and Mardome Hi-Lights dome rooflights can be delivered quickly and conveniently to site in 48 hours.

mardometrade
Dome Rooflights


mardomeultra
Dome Rooflights

mardomereflex
Dome Rooflights

mardomecircular
Dome Rooflights


mardomeglass
Flat Glass Rooflights

mardome
Hi-Lights




Clear	Textured	Opal	Bronze
Maximum light transmission and clarity	Combines privacy with high levels of light transmission	Maximised privacy Soft diffused light transmission with reduced solar heat gain	Reduces solar glare and heat gain with a lower light transmission


Mardome rooflights are available with a range of options:



Single
Glazed



Double
Glazed



Triple
Glazed

- **Sizes:** 450x450mm to 2400x1800mm
- **Dome:** Dome or pyramid
- **Glazing:** Clear, bronze, opal and textured glazing
- **Ventilation:** Trickle, automatic or powered vent
- **Opening:** Manual, powered, powered with rain sensors
- Thermally efficient double, triple and glass options with U values as low as 0.96 W/m²K
- Sloped multiwall PVC kerb with 150mm waterproofing termination height as standard
- Direct fix kerb to fit to existing builders upstand
- Up to 33% more glazing than other rooflights
- 20 year warranty

Product Selector



1 Choose a model

Off the Shelf - Page 64

mardome Hi-Lights



The **Hi-Lights range** of Mardome rooflights has been hand-picked to provide a selection of high quality rooflight options in 6 key sizes from 600x600mm to 1200x1200mm, which satisfy the requirements of most projects and will be delivered within 48 hours* of placing the order.

Build your own - Page 65

mardome*trade* Dome Rooflights



Mardome Trade is the base rooflight, offering a competitively priced dome unit with a host of additional extras to satisfy a range of project requirements and budgets. 48 hour delivery available.
Page 67

mardome*circular* Dome Rooflights



Mardome Circular, as its name suggests is our round glazing unit which is specified for its distinct styling and character. It is available as a glazing only option or complete with a strong and robust GRP kerb.
Page 69

mardome*reflex* Dome Rooflights




Mardome Reflex is a glazing only unit designed specifically for refurbishment projects where the glazing only needs to be replaced and can be easily fixed to existing kerbs or upstands. The unit is supplied with a fixing kit including weathertight washers and cover plugs.
Page 69

mardome*ultra* Dome Rooflights




Mardome Ultra is the premium dome rooflight. The architecturally inspired Ultra delivers maximum security with a modern aluminium frame and concealed tamper proof fixings. It can be powder coated to standard RAL colours on request.
Page 65

2 Dome & Kerb Sizes



A. Mardome
Trade/Ultra with Kerb



B. Mardome
Trade/Ultra
For builders upstand

When Mardome is to be supplied with a kerb, measure overall dimensions of the opening (length x width). When Mardome is to suit a builders upstand, measure the external dimensions of the upstand (length x width).

Standard roof opening sizes are detailed in this brochure. All domes in the Mardome range can also be specified to be fixed directly to an existing builders upstand, where necessary being supplied with a 'direct fix' adaptor. (eg for Ultra, ventilated or opening units).

An optional Mardome kerb adaptor enables standard size domes to be fitted to non-standard size upstands.

3 Thermal Performance

To achieve varying degrees of insulation Mardomes are available in single, double and triple skin polycarbonate glazed units. Options to further improve thermal efficiency include glass inner glazing. An average U-value for the rooflight area of 2.2 W/m²K is required to satisfy Part L Building Regulations 2013. To assist compliance with Part L, Ariel Plastics recommend installing no less than triple skin glazed rooflights.

Thermal Efficiency

Material	U-value: centre pane
Double Skin Polycarbonate	2.7 W/m ² K
Triple Skin Polycarbonate	1.8 W/m ² K

Centre pane U-value is a measure of the thermal efficiency of the glazing type.


4 Glazing

All Mardome rooflights are glazed with an outer skin of impact resistant Marlon FSX Longlife UV protected polycarbonate. This outer skin glazing is available in a dome or pyramid shape. Select from clear, bronze and opal tints.

See page 61 for glazing overview.

5 Ventilation and Opening Options


- Manual opening with extension pole
- Powered opening
- Powered opening with RF remote control handset
- Powered opening with RF remote control handset and rain sensor
- Trickle vents
- Automatic vents



mardome Hi-Lights

SELECTED RANGE OF MARDOME ROOFLIGHTS

Part L Compliant Triple Glazed Mardome with PVC kerb providing 150mm waterproofing termination height

		Rooflight Size = finished roof opening size					
		600 x 600mm	600 x 900mm	750 x 750mm	900 x 900mm	1050 x 1050mm	1200 x 1200mm
Triple Glazed Mardome with PVC Kerb	Price £	309.10	387.20	387.20	446.60	510.40	653.40
	Code	M013	M014	M015	M016	M017	M018
Triple Glazed Opening Mardome with PVC Kerb	Price £	454.30	556.50	552.20	632.50	704.00	1023.00
	Code	M019	M020	M021	M022	M023	M024

Double Glazed Mardome with PVC kerb providing 150mm waterproofing termination height

		Rooflight Size = finished roof opening size					
		600 x 600mm	600 x 900mm	750 x 750mm	900 x 900mm	1050 x 1050mm	1200 x 1200mm
Double Glazed Mardome with PVC Kerb	Price £	237.60	300.30	298.10	345.40	396.00	501.60
	Code	M001	M002	M003	M004	M005	M006
Double Glazed Opening Mardome with PVC Kerb	Price £	419.10	524.70	504.90	581.90	642.40	929.50
	Code	M007	M008	M009	M010	M011	M012

Direct Fix Mardome without Kerb

		Rooflight Size = external upstand distance					
		600 x 600mm	600 x 900mm	750 x 750mm	900 x 900mm	1050 x 1050mm	1200 x 1200mm
Direct Fix Mardome Single Glazed	Price £	117.70	145.20	147.40	168.30	196.90	251.90
	Code	M025	M026	M027	M028	M029	M030
Direct Fix Mardome Double Glazed	Price £	152.90	187.00	194.70	220.00	257.40	346.50
	Code	M031	M032	M033	M034	M035	M036
Direct Fix Mardome Triple Glazed	Price £	223.30	273.90	283.80	320.10	370.70	498.30
	Code	M037	M038	M039	M040	M041	M042



Mardome Ultra powered opening options

(add to cost of manual opening unit)

Size mm	Powered opening	Powered opening with remote	Powered opening with remote & rain sensor	Access Hatch
600 x 600	143	383	461	-
600 x 900	169	452	545	-
600 x 1200	383	666	758	-
600x1500	383	666	758	-
750 x 750	155	415	499	-
750 x 900	169	452	545	-
900 x 900	169	452	545	72
900 x 1200	383	666	758	no charge
900 x 1800	383	666	758	no charge
1050 x 1050	169	452	545	72
1050 x 1500	383	666	758	no charge
1200 x 1200	383	666	758	no charge
1200 x 1500	383	666	758	-
1200 x 1800	383	666	758	-
1200 x 2400	-	-	-	-
1350 x 1350	383	666	758	-

Mardome Ultra has a silver anodized frame as standard. This frame is available powder-coated in standard RAL colours. Price on request.

When ordering please stipulate whether you require single, double or triple skin rooflights and which tint you require. Quad skin Mardome rooflights also available, prices on application. All prices quoted are for dome shaped Mardomes. Pyramid shaped Mardomes also available, price on application. Telescopic opening poles are required for manual opening units, refer to page 69.

All Mardomes available in Clear, Opal, Bronze and Textured polycarbonate as the outer skin (single skin Mardomes only available in clear).

Some larger Mardomes may have extended lead-times - please contact sales office for details.

A Builders Kerb Adapter is used to adapt a non-standard size builders upstand to accommodate a standard size Mardome. Price on application.

Build your own Mardome
Trade from the selection
of options available.



mardometrade
Dome Rooflights

Mardome Trade Range

(Prices in red available for 48hr delivery)

Size mm	TRADE FIXED ROOFLIGHTS									MANUAL OPENING TRADE ROOFLIGHTS					
	With PVC Kerb			To Fit Builders Upstand						Trade with PVC Kerb			To Fit Builders Upstand		
	Glazing Skin			Unvented			Vented			Glazing Skin			Glazing Skin		
	x3	x2	x1	x3	x2	x1	x3	x2	x1	x3	x2	x1	x3	x2	x1
600 x 600	309	238	203	224	153	118	310	239	204	454	419	384	428	393	358
600 x 900	387	300	259	274	187	145	385	298	257	566	525	484	533	491	450
600 x 1200	485	376	318	356	247	188	480	371	313	841	783	724	804	746	687
600 x 1500	775	590	459	633	448	317	767	582	451	1138	1007	876	1098	967	836
750 x 750	388	299	251	283	194	147	385	296	249	552	505	457	521	473	426
750 x 900	431	332	281	311	212	161	427	329	277	614	563	511	578	527	476
900 x 900	446	346	294	320	220	168	441	341	289	633	581	530	596	544	493
900 x 1200	636	488	394	494	346	252	628	480	386	999	905	811	959	865	771
900 x 1800	858	633	479	688	463	309	844	619	465	1246	1092	938	1200	1046	892
1050 x 1050	510	396	335	371	258	196	502	388	327	704	643	581	664	603	541
1050 x 1500	807	617	486	646	456	325	794	604	473	1181	1050	919	1137	1006	875
1200 x 1200	653	501	407	498	347	252	642	490	396	1023	929	835	980	886	792
1200 x 1500	816	624	493	648	456	325	801	610	479	1193	1062	931	1147	1016	885
1200 x 1800	967	710	528	783	527	344	949	693	511	1362	1179	997	1313	1131	948
1200 x 2400	1283	923	644	1074	714	436	1259	900	621	-	-	-	-	-	-
1350 x 1350	809	617	486	641	450	319	795	603	472	1187	1056	924	1141	1010	879
1500 x 1500	839	644	513	659	464	333	822	627	496	-	-	-	-	-	-
1800 x 1800	1152	840	610	943	632	401	1128	817	587	-	-	-	-	-	-
Options															
Man. Vent	32	32	32	-	-	-	incl	incl	incl	32	32	32	32	32	32
Auto Vent	119	119	119	-	-	-	87	87	81	119	119	119	119	119	119

Mardome Trade powered opening options

(add to cost of manual opening unit)

Size mm	Powered opening	Powered opening with remote	Powered opening with remote & rain sensor	Access Hatch
600 x 600	143	383	461	-
600 x 900	169	452	545	-
600 x 1200	383	666	758	-
600x1500	383	666	758	-
750 x 750	155	415	499	-
750 x 900	169	452	545	-
900 x 900	169	452	545	72
900 x 1200	383	666	758	no charge
900 x 1800	383	666	758	no charge
1050 x 1050	169	452	545	72
1050 x 1500	383	666	758	no charge
1200 x 1200	383	666	758	no charge
1200 x 1500	383	666	758	-
1200 x 1800	383	666	758	-
1200 x 2400	-	-	-	-
1350 x 1350	383	666	758	-


When ordering please stipulate whether you require single, double or triple skin rooflights and which tint you require. Quad skin Mardome rooflights also available, prices on application.

All prices quoted are for dome shaped Mardomes. Pyramid shaped Mardomes also available, price on application. Telescopic opening poles are required for manual opening units, refer to page 69.

All Mardomes available in Clear, Opal, Bronze and Textured polycarbonate as the outer skin (single skin Mardomes only available in clear). Some larger Mardomes may have extended lead-times - please contact sales office for details.

A Builders Kerb Adapter is used to adapt a non-standard size builders upstand to accommodate a standard size Mardome. Price on application.

mardome*reflex*
Dome Rooflights



Mardome Reflex Range

(Prices in red available for 48hr delivery)

Size mm	Fixed Reflex Rooflight To Fit Builders Upstand		
	Glazing Skin		
	x3	x2	x1
450 x 450	199	152	117
600 x 600	201	153	118
600 x 900	245	187	145
600 x 1200	332	247	188
600 x 1500	607	448	317
750 x 750	257	194	147
750 x 900	281	212	161
900 x 900	289	220	168
900 x 1200	468	346	252
900 x 1800	657	463	309
1050 x 1050	337	258	196
1050 x 1500	617	456	325
1200 x 1200	470	347	252
1200 x 1500	618	456	325
1200 x 1800	750	527	344
1200 x 2400	1036	714	436
1350 x 1350	611	450	319
1500 x 1500	626	464	333
1800 x 1800	905	632	401

See page 2 for 48 hour delivery terms and conditions.

Mardome Opening Poles

Code	Description	Price £
OP-POLE2M	Mardome 2m Opening Pole	30
OP-POLE3M	Mardome 3m Opening Pole	42

mardome*circular*
Dome Rooflights



Mardome Circular Domes

Diameter	Fixed Circular Rooflight To Fit GRP Kerb	
	Glazing Skin	
	x3	x2
600mm	498	389
750mm	617	480
900mm	700	549
1050mm	822	639
1200mm	1,000	757
1350mm	1,129	847
1500mm	1,404	1,031
1800mm	1,618	1,201

Mardome Accessories

Size mm	Security Grill
600 x 600	67
600 x 900	92
600 x 1200	110
600 x 1500	127
750 x 750	92
750 x 900	112
900 x 900	127
900 x 1200	156
900 x 1800	223
1050 x 1050	164
1050 x 1500	209
1200 x 1200	201
1200 x 1500	238
1200 x 1800	276
1200 x 2400	358
1350 x 1350	231
1500 x 1500	298
1800 x 1800	402

When ordering please stipulate whether you require single, double or triple skin rooflights and which tint you require. A Builders Kerb Adapter is used to adapt a non-standard size builders upstand to accommodate a standard size Mardome. Price on application.




Featuring an ultra-modern flat glass design, **Mardome Glass** is a thermally efficient double glazed rooflight incorporating a silver anodized aluminium frame (with the option to powder coat), which combines to deliver high end design and the very best standards in security and safety.

Mardome Glass has a silver anodized frame as standard. This frame is available powder coated in standard RAL colours. Price on request.

Additional size, ventilation and opening options available. Price on request

BENEFITS

- > Suitable for flat and low pitched roofs of less than 15°.
- > Flexibility with a choice of opening, ventilation, kerb and fixing options.
- > Glass specification is non fragile to CWCT TN92 for overhead glass.
- > Ultra secure with up to a P4A class resistance to burglary and vandalism (P3A- P4A to EN 356) and the glazing frame features a PAS 24:2012 tested secret fix security system when supplied as a non-opening unit on a PVC kerb.
- > Both glazing and sealants demonstrate the ability to withstand thermal shock having undergone rigorous tests simulating repeated heating and cooling cycles to temperature extremes.



Mardome Glass on Builders Upstand
(Unvented, non-opening)

Code	PG	Disc	Product Description	Size mm	Price £
MG001	073	928	Mardome Glass on Builders Upstand	600 x 600	704.00
MG002	073	928	Mardome Glass on Builders Upstand	600 x 900	767.80
MG003	073	928	Mardome Glass on Builders Upstand	750 x 750	777.70
MG004	073	928	Mardome Glass on Builders Upstand	900 x 900	924.00
MG005	073	928	Mardome Glass on Builders Upstand	1050 x 1050	1,076.90
MG006	073	928	Mardome Glass on Builders Upstand	1200 x 1200	1,247.40

Mardome Glass on 150mm PVC Kerb


(Unvented, non-opening)



Code	PG	Disc	Product Description	Size mm	Price £
MG007	073	928	Mardome Glass on 150mm PVC Kerb	600 x 600	809.60
MG008	073	928	Mardome Glass on 150mm PVC Kerb	600 x 900	888.80
MG009	073	928	Mardome Glass on 150mm PVC Kerb	750 x 750	897.60
MG010	073	928	Mardome Glass on 150mm PVC Kerb	900 x 900	1,049.40
MG011	073	928	Mardome Glass on 150mm PVC Kerb	1050 x 1050	1,216.60
MG012	073	928	Mardome Glass on 150mm PVC Kerb	1200 x 1200	1,401.40

Mardome Glass on Builders Upstand with Powered Opening

(Vented, opening)



Code	PG	Disc	Product Description	Size mm	Price £
MG013	073	928	Mardome Glass on Builders Upstand with Powered Opening	600 x 600	1,124.20
MG014	073	928	Mardome Glass on Builders Upstand with Powered Opening	600 x 900	1,201.20
MG015	073	928	Mardome Glass on Builders Upstand with Powered Opening	750 x 750	1,211.10
MG016	073	928	Mardome Glass on Builders Upstand with Powered Opening	900 x 900	1,356.30
MG017	073	928	Mardome Glass on Builders Upstand with Powered Opening	1050 x 1050	1,928.30
MG018	073	928	Mardome Glass on Builders Upstand with Powered Opening	1200 x 1200	2,123.00

Mardome Glass on 150mm PVC Kerb with Powered Opening

(Vented, opening)



Code	PG	Disc	Product Description	Size mm	Price £
MG019	073	928	Mardome Glass on 150mm PVC Kerb with Powered Opening	600 x 600	1,151.70
MG020	073	928	Mardome Glass on 150mm PVC Kerb with Powered Opening	600 x 900	1,232.00
MG021	073	928	Mardome Glass on 150mm PVC Kerb with Powered Opening	750 x 750	1,241.90
MG022	073	928	Mardome Glass on 150mm PVC Kerb with Powered Opening	900 x 900	1,391.50
MG023	073	928	Mardome Glass on 150mm PVC Kerb with Powered Opening	1050 x 1050	1,966.80
MG024	073	928	Mardome Glass on 150mm PVC Kerb with Powered Opening	1200 x 1200	2,165.90

Cladding

PVC Cladding Sheet



**Matt, Gloss
or Satin
Options**



This economical range of **PVC cladding sheet** is suitable for wall and ceiling cladding. The premium surface in matt, gloss or satin finish provides a super tough, clinically clean finish.

- White
- Matt, gloss or satin surface finish
- Lightweight and easy to install
- Easy to clean
- Hardwearing
- Excellent fire performance

APPLICATIONS

- > Out houses
- > Garages
- > Screens & partitions
- > Changing rooms
- > Animal housing

It is impervious to dirt and grime and can be cleaned with most non abrasive cleaning agents.

Cladding

PVC Cladding Sheet

PVC Cladding Sheet

Code	PG	Disc	Product Description	Sheet Size mm	Thickness mm	Price £
67003	066	933	Standard Matt Cladding (PVC Foam Board)	610 x 1220	3	10.63
67008	066	933	Standard Matt Cladding (PVC Foam Board)	1220 x 2440	3	42.50
68004	066	933	Standard Matt Cladding (PVC Foam Board)	1220 x 1220	3	21.25
68006	066	933	Premium Gloss Cladding (PVC Foam Board)	610 x 1220	3	22.14
68007	066	933	Premium Gloss Cladding (PVC Foam Board)	1220 x 1220	3	44.29
68008	066	933	Premium Gloss Cladding (PVC Foam Board)	1220 x 2440	3	88.58
69008	066	933	Premium Satin Cladding (Solid PVC Board)	1220 x 2440	2.25	98.78

PVC Cladding Accessories

Code	PG	Disc	Product Description	Colour	Length mm	Price £
76130	066	933	H-Section Division Bar	White	3000	12.96
76131	066	933	J-Section Starter Trim	White	3000	8.82
76132	066	933	Internal Corner	White	3000	8.55
76133	066	933	External Corner	White	3000	10.20
76134	066	933	H-Section Division Bar Top	White	3000	7.72
76135	066	933	H-Section Division Bar Base	White	3000	9.38

Slight colour variation between cladding sheet and accessories is to be expected.





For the temporary protection of surfaces during construction, building and refurbishment work.

Covershield Protective Sheet is a lightweight and extremely strong polypropylene material for the protection of surfaces, fixtures and fittings during construction, building and refurbishment work.

Tough and durable, Covershield is tear, puncture and impact-resistant. At only 2mm in thickness Covershield is also very easy to cut, curve, crease and tape into place to fit a variety of different surfaces. It is this versatility and ease of use which makes Covershield an effective alternative to plywood or other timber products for the temporary protection of stairs, columns, walls, floors, doors and windows.

Covershield is available in both white fire retardant and black recycled options for residential and commercial building use.

- Effective protection for floors, doors, walls, and windows
- Lightweight, strong, waterproof, non-toxic and resistant to chemicals
- Easy to cut, crease and bend
- Available in standard and flame retardant sheets



APPLICATIONS

- > Stairs
- > Columns
- > Walls
- > Floors
- > Doors
- > Windows

Protective Sheet

Code	PG	Disc	Product Description	Colour	Size (mm)	Thickness (mm)	Price £
SHIELDFR	040	933	Covershield Flame Retardant Flat Protective Sheet	White	1200 x 2400	2mm	10.48
SHIELDSTD	040	933	Covershield Standard Flat Protective Sheet	Black	1200 x 2400	2mm	9.38

**Need a price?
Get a no obligation
quote today!**



For a no obligation
quote on any Ariel product
please contact our team now

Tel: 01246 561104

Email: quotes@arielplastics.com


ariel[®]
the proof's on the roof

Visit the all new Ariel website

For the latest product information
and merchant support

www.arielplastics.com

Speedwell Industrial Estate
Staveley
Derbyshire
S43 3JP

Tel: 01246 281111

Fax: 01246 561111

Email: info@arielplastics.com

Orderline email:

sales@arielplastics.com

Blairlinn Road
Cumbernauld
Glasgow
G67 2TF

Tel: 01236 725536

Fax: 01236 725871

Email: scotland@arielplastics.com



Q09125



All reasonable care has been taken in the compilation of the information contained within this price list. Ariel Plastics reserves the right to amend specifications and prices without prior notice.

All recommendations on the use of our products are made without guarantee as conditions of use are beyond the control of Ariel Plastics. It is the customer's responsibility to ensure that the product is fit for its intended purpose and that the actual conditions of use are suitable.